THE JOURNAL OF
PROSTHETIC DENTISTRY

OFFICIAL PUBLICATION OF
The Academy of Denture Prosthetics
The American Prosthodontic Society
The Pacific Coast Society of Prosthodontists
The American Academy of Restorative Dentistry
The American Academy of Crown and Bridge Prosthodontics
The Greater New York Academy of Prosthodontics
The Southeastern Academy of Prosthodontics
The American Academy of Maxillofacial Prosthetics
The American Equilibration Society
The American Academy of Implant Dentistry
The Canadian Academy of Prosthodontics
Federation of Prosthodontic Organizations
The American College of Prosthodontists
The Carl O. Boucher Prosthodontic Conference
Northeastern Gnathological Society
Midwest Academy of Prosthodontics
Northeastern Prosthodontic Society
Association of Prosthodontists of Canada
American Academy of Esthetic Dentistry
American Academy of Craniomandibular Disorders
The Florida Prosthodontic Association
Society for Occlusal Studies

EDITORIAL COUNCIL

Louis S. Block, *chairman*
Daniel H. Gehl, *vice-chairman*
S. Howard Payne, *consultant*
I. Kenneth Adisman
Thomas A. Curtis
Henry Ebel
William A. Jennings
F. James Kratochvil
William L. Kydd
Glen P. McGivney
Chester Perry
Dale E. Smith

EDITOR
Judson C. Hickey

ASSISTANT EDITOR
Ronald P. Desjardins

SECTION EDITORS

FIXED PROSTHODONTICS AND OPERATIVE DENTISTRY
Samuel E. Guyer
William Lefkowitz
William F. P. Malone
John E. Rhoads
Robert C. Sproull

REMOVABLE PROSTHODONTICS
Louis Blatterfein
S. Howard Payne

MAXILLOFACIAL PROSTHETICS AND DENTAL IMPLANTS
I. Kenneth Adisman
Ronald P. Desjardins

TEMPOROMANDIBULAR JOINT AND OCCLUSION
George A. Zarb

RESEARCH AND EDUCATION
Louis J. Boucher

DENTAL TECHNOLOGY
Daniel H. Gehl

ASSOCIATE EDITORS

Dale H. Andrews
Louis J. Boucher
Glenn T. Clark
Thomas A. Curtis
Ronald P. Desjardins
Asterios Doukoudakis
Robert W. Elliott, Jr.
Aaron H. Fenton
James B. Gallagher, Jr.
Davis Henderson
Robert E. Hoar
William W. Howard
William A. Jennings
Frank J. Kratochvil
Nathaniel H. Lenchner
William F. P. Malone
Glen P. McGivney
Paul J. Mentag
Jack H. Rayson
Lester E. Rosenthal
William Sulik
Ross L. Taylor

Paul Barton, *editorial consultant*
P. Kenneth Morse, *statistical consultant*
Ralph W. Phillips, *advisor, dental materials*
Ocie Colleen Ringle *editorial assistant*

VOLUME 52 **DECEMBER** **1984**
THE C. V. MOSBY COMPANY **ST. LOUIS**

VOLUME 52
Copyright © 1984
THE C. V. MOSBY COMPANY

(All rights reserved)
Printed in the United States of America

INDEX TO VOLUME 52

Author index

A

ABRAMS, B. L. (*See* Fox et al), 567
— (*See* Fox et al), 763
AIAGH, D., MALONE, W. F. P., AND SANDRICK, J. Dimensional accu ..., of epoxy resins and their compatibility with impression materials, 500
ALBINO, J. E., TEDESCO, L. A., AND CONNY, D. J. Patient perceptions of dental-facial esthetics: Shared concerns in orthodontics and prosthodontics, 9
ALLING, C. C. Hydroxyapatite augmentation of edentulous ridges, 828
AMERICAN BOARD OF PROSTHODONTICS. History, information, and examination requirements of American Board of Prosthodontics, 281
AMSBERRY, W., VON FRAUNHOFER, J. A., HOOTS, J., AND RODGERS, H. Marginal leakage of several acid-etch composite resin restorative systems, 647
APPELBAUM, E. M., AND MEHRA, R. V. Clinical evaluation of polyvinylsiloxane for complete denture impressions, 537
AQUILINO, S. A., AND TAYLOR, T. D. Prosthodontic laboratory and curriculum survey. Part III: Fixed prosthodontic laboratory survey, 879
— (*See* Taylor et al), 598; 747
ARCHACKI, P. V. (*See* Cohen and Archacki), 452
ARDUINO, A. (*See* Preti et al), 270
ASH, JR., M. M. (*See* Stohler and Ash), 729
AUSTIN, J. C. (*See* McInnes-Ledoux et al), 353

B

BAEZ, R. J. (*See* Weed and Baez), 330
BALLESTER, R. Y. (*See* Santos and Ballester), 366
BALTHAZAR, Y. M., ZIEBERT, G. J., AND DONEGAN, S. J. Effect of interocclusal records on transverse axis position, 804
BALTHAZAR-HART, Y. (*See* Ziebert and Balthazar-Hart), 606
BANGE, A. A. (*See* Spielberger et al), 397
BARRACK, G. Recent advances in etched cast restorations, 619
BATTLE, L. W. (*See* Shernoff et al), 305
— (*See* Whitsitt and Battle), 608
— (*See* Whitsitt et al), 447
BEDER, O. E. (*See* Hammond et al), 401
BERGMAN, W. (*See* Williams et al), 120
BIBBY, R. E. (*See* van Niekerk et al), 406
BIRNS, B. (*See* Shen et al), 844
BLANCO-DALMAU, L., CARRASQUILLO-ALBERTY, H., AND SILVA-PARRA, J. Study of nickel allergy, 116
BOLOURI, A. Fabrication of accurate baseplates for restricted interarch space, 303
BOMBERG, T. J., AND HATCH, R. A. Correction of defective impressions by selective addition of impression material, 38
BORGGREVEN, J. M. P. M. (*See* Dippel et al), 657
BOUCHER, L. J. (*See* Givens et al), 815
— (*See* Renner et al), 581
BRADLEY, E. L. (*See* Gross et al), 786
BRODBELT, R. H. W., WALKER, G. F., NELSON, D., AND SELUK, L. W. Comparison of face shape with tooth form, 588
BROWNING, J. D., AND KINDERKNECHT, J. Fabrication of hollow obturator with fluid resin, 891
BRUKL, C. E., NICHOLSON, J. W., NORLING, B. K. Effect of disclosing wax on bonding strength of cemented crowns, 61
— (*See* Philp and Brukl), 215
BRUNETTE, D. M. (*See* Gould et al), 418

C

CAMPAGNI, W. V. (*See* Donovan et al), 384
CANADA, K. W. (*See* McElroy and Canada), 753
CANNON, M. L., MARSHALL, JR., G. W., MARSHALL, S. J., AND COOLEY, R. O. Surface resistance to abrasion of preformed laminate resin veneers, 323
CARMAN, J. E. (*See* Copps et al), 340
CARRASQUILLO-ALBERTY, H. (*See* Blanco-Dalmau et al), 116
CARROLL, C. E., AND VON FRAUNHOFER, J. A. Wire reinforcement of acrylic resin prostheses, 639
CARTER, J. M. (*See* Iglesias et al), 194
CASTLEBERRY, D. J. (*See* Kilani et al), 288
CESARIO, JR., V. A., AND LATTA, JR., G. H. Relationship between mesiodistal width of maxillary central incisor and interpupillary distance, 641
CHALIAN, V. A. (*See* Kouyoumdjian and Chalian), 560
CHAMBERLAIN, B. B., RAZZOOG, M. E., AND ROBINSON, E. Quality of care: Compared perceptions of patient and prosthodontist, 744
CHEUK, S. L., AND KIRKLAND, J. L. Splint for burns to lip commissures, 563
CHICHE, G. J., AND MENDEZ, A. J. Nonanatomic patterns for full cast-gold crowns, 760
CIBOROWSKI, C. J. (*See* Merchant et al), 877
CLARK, H. E. (*See* Phillips et al), 358
CLEATON-JONES, P. E. (*See* McInnes-Ledoux et al), 353
COFFEY, K. W. Obturation of congenital or acquired intraoral anatomic defects, 559
COHEN, S. R., AND ARCHACKI, P. V. Post-soldering free-standing porcelain-fused-to-metal pontics, 452
COLAIZZI, F. A. (*See* Shen et al), 844
COLLINS, J. F., HEINS, P. J., AND FISCHLSCHWEIGER, W. Perforations in human teeth with threaded retentive pins: Scanning electron microscopy study, 334
COMPAGNI, R., FAUCHER, R. R., AND YUODELIS, R. A. Effects of sprue design, casting machine, and heat source on casting porosity, 41
CONNELLY, M. E. (*See* Farmer and Connelly), 691
CONNOR, S. A. (*See* Gordon et al), 99
CONNY, D. J. (*See* Albino et al), 9
COOLEY, R. O. (*See* Cannon et al), 323
COPPS, D. P., LACY, A. M., CURTIS, T., AND CARMAN, J. E. Effects of topical fluorides on five low-fusing dental porcelains, 340
CORCORAN, J. F. (*See* Zillich and Corcoran), 489
COWPER, T. R. (*See* Draper et al), 450
CRIM, G. (*See* Phillips et al), 358
CRUICKSHANKS-BOYD, D. W. (*See* Oram et al), 221
CURTIS, T. (*See* Copps et al), 340

D

DAHL, B. L. (*See* Ødlo et al), 518
DARLING, D. W., KRAUS, S., AND GLASHEEN-WRAY, M. B. Relationship of head posture and rest position of mandible, 111
DAVIDOFF, S. R. Indications and use of pin Desmarets attachment, 250
DAVIDSON, C. L. (*See* de Gee et al), 626
DAVIS, D. R., AND KNAPP, J. F. Significance of AIDS to dentists and dental practice, 736
DAVIES, E. H. (*See* Oram et al), 221
DE GEE, A. J., TEN HARKEL-HAGENAAR, E., AND DAVIDSON, C. L. Color dye for identification of incompletely cured composite resins, 626
DELONG, R., GOODKIND, R. J., AND DOUGLAS, W. H. Corrosion-fatigue of bond between nickel-chrome casting alloys and porcelain, 344
DENISSEN, H. W., VELDHUIS, H. A., AND VAN FAASSEN, F. Implant placement in atrophic mandible: Anatomic study, 260
DE RIJK, W. G. (*See* Marsaw et al), 361
DEUTSCH, A. S. (*See* Musikant and Deutsch), 631
DEVITRE, R. (*See* Goldman et al), 485
DE VRIES, H. (*See* van Mens and de Vries), 443

July, 1-152; August, 153-318; September, 319-466; October, 467-618; November 619-774; December, 775-940.

DIPPEL, H. W., BORGGREVEN, J. M. P. M., AND HOPPENBROUWERS, P. M. M. Morphology and permeability of dentinal smear layer, 657
DISANTIS, W. S. Technique for using acrylic resin insert to simulate cartilaginous structure in silicone prosthetic ear, 889
DONEGAN, S. J. (*See* Balthazar et al), 804
DONOVAN, T., WRIGHT, W., AND CAMPAGNI, W. V. Use of paint-on die spacers in preparations with grooves, 384
DOONER, J. (*See* Krajicek et al), 526; 682; 836
DOUGLAS, W. H. (*See* DeLong et al), 344
DOUKOUDAKIS, A. (*See* Fox et al), 567
— (*See* Fox et al), 763
DRAPER, J., ESPOSITO, S. J., AND COWPER, T. R. Quick method for processing MDX-4-4210 silicone rubber, 450
DUBOIS, L. M., MEISTERS, G. H., AND KULL, S. L. Relationship of wall orientation to proximal box design in inlay preparations, 522

E

EAKLE, W. S. (*See* Lee and Eakle), 374
EAMES, W. B., AND LITVAK, C. S. New irreversible hydrocolloid silicone impression material, 479
EL-BAGHDADY, Y. (*See* Halhoul and El-Baghdady), 36
ELLISON, J. A. (*See* Moffa et al), 491
ESPOSITO, S. J. (*See* Draper et al), 450
ETTINGER, R. L., TAYLOR, T. D., AND SCANDRETT, F. Treatment needs of overdenture patients in longitudinal study: Five-year results, 532

F

FABER, B. L. Role of muscle function in mandibular prosthetics, 167
FAEHN, O. (*See* Wie et al), 76
FAIRHURST, C. W. (*See* Hashinger and Fairhurst), 506
FARMER, J. B., AND CONNELLY, M. E. Palateless dentures: Help for gagging patient, 691
FAUCHER, R. R. System for localizing pontics, 643
— (*See* Compagni et al), 41
FEATHERSTONE, J. D. B. (*See* Hebel et al), 389
FINGER, I. M. (*See* Guerra et al), 858
FINGER, W., AND OHSAWA, M. Accuracy of cast restorations produced by refractory die-investing technique, 800
FIRTELL, D. N. (*See* Mora and Firtell), 235
FISCHER, T. E. (*See* Kilani et al), 288
FISCHLSCHWEIGER, W. (*See* Collins et al), 334
FITZLOFF, R. A. Functional impressions and thermoplastic materials for reline procedures, 25
FLØYSTRAND, F. (*See* Valderhaug and Fløystrand), 514
FOX, C. W., ABRAMS, B. L., AND DOUKOUDAKIS, A. Abrasion resistant cases for removable partial dentures, 763
—, —, — Provisional restorations for altered occlusion, 567
FRIEDMAN, J., AND HASSAN, R. Comparison study of visible curing lights and hardness of light-cured restorative materials, 504
FROEMLING, R. A. (*See* Maroso et al), 208
FULLER, J. L. (*See* Prévost et al), 204
FUSAYAMA, T. (*See* Hachiya et al), 811

G

GANZ, S. D. (*See* Martin et al), 414
GARRETT, N. R. (*See* Kapur and Garrett), 408
GAY, T. (*See* Josell et al), 593
GAY, W. D. Prostheses for oral burn patients, 564
GELFAND, M., GOLDMAN, M., AND SUNDERMAN, E. J. Effect of complete veneer crowns on compressive strength of endodontically treated posterior teeth, 635
GIBBONS, M. J. (*See* Segal et al), 138
GIVENS, E. G., GWINNETT, A. J., AND BOUCHER, L. J. Removal of overhanging amalgam: Comparative study of three instruments, 815
GJEITANGER, R. (*See* Øilo et al), 518
GLANTZ, P-O., RYGE, G., JENDRESEN, M. D., AND NILNER, K. Quality of extensive fixed prosthodontics after five years, 475
GLASHEEN-WRAY, M. B. (*See* Darling et al), 111
— (*See* Goldstein et al), 421
GLASSMAN, M. D., AND MILLER, I. J. Antibacterial properties of one conventional and three high-copper dental amalgams, 199
GOLDMAN, M., DEVITRE, R., AND PIER, M. Effect of dentin smear layer on tensile strength of cemented posts, 485
— (*See* Gelfand et al), 635
GOLDSTEIN, D. F., KRAUS, S. L., WILLIAMS, W. B., AND GLASHEEN-WRAY, M. Influence of cervical posture on mandibular movement, 421
GOLDSTEIN, G. R. (*See* Soni and Goldstein), 604
GOLDSTEIN, R. E., AND LANCASTER, J. S. Survey of patient attitudes toward current esthetic procedures, 775
GOODKIND, R. J. (*See* DeLong et al), 344
— (*See* Marshall and Goodkind), 666
GORDON, S. R., STOFFER, W. M., AND CONNOR, S. A. Location of terminal hinge axis and its effect on second molar cusp position, 99
GORSKY, M., AND SILVERMAN, JR., S. Denture wearing and oral cancer, 1964
GOULD, T. R. L., WESTBURY, L., AND BRUNETTE, D. M. Ultrastructural study of attachment of human gingiva to titanium in vivo, 418
GRASER, G. N. (*See* Hebel et al), 389
GREEN, K. W. (*See* Sooudi and Green), 554
GRIFFITHS, W. G., AND HARVEY, P. M. Preprosthetic improvement of alveolar region by grafting with attached oral mucosa, 5
GRISWOLD, W. H. (*See* Townsend et al), 370
GROSS, J. D., RETIEF, D. H., AND BRADLEY, E. L. Optimal concentration of phosphoric acid as etching agent. Part II: Microleakage studies, 786
GUERRA, L. R., LARSEN, H. D., FINGER, I. M., AND JAEN, F. Modifications of superstructure for staple implant, 858
GULDAG, M. V. (*See* Kilani et al), 288
GWINNETT, A. J. (*See* Givens et al), 815

H

HAANAES, H. R. (*See* Wie et al), 76
HACHIYA, Y., IWAKU, M., HOSODA, H., AND FUSAYAMA, T. Relation of finish to discoloration of composite resins, 811
HALHOUL, N. M., AND EL-BAGHDADY, Y. Multiple direct patterns for cast post and core in anterior teeth, 36
HAMILTON, J. C. (*See* Moffa et al), 491
HAMMOND, R. J., AND BEDER, O. E. Increased vertical dimension and speech articulation errors, 401
HANNAM, A. G. (*See* MacDonald and Hannam), 718; 862
HARTMAN, G. E. (*See* Williams and Hartman), 699
HARVEY, P. M. (*See* Griffiths and Harvey), 5
HASHINGER, D. T., AND FAIRHURST, C. W. Thermal expansion and filler content of composite resins, 506
HASSAN, R. (*See* Friedman and Hassan), 504
HATCH, R. A. (*See* Bomberg and Hatch), 38
HEBEL, K. S., GRASER, G. N., AND FEATHERSTONE, J. D. Abrasion of enamel and composite resin by removable partial denture clasps, 389
HEINS, P. J. (*See* Collins et al), 334
HELLSING, G. Functional adaptation to changes in vertical dimension, 867
HEMBREE, JR., J. H. Microleakage of microfilled composite resin restorations with different cavosurface designs, 653
— AND TAYLOR, T. J. Marginal leakage of visible light-cured composite resin restorations, 790
HERRING, H. W., TAMES, M. A., AND ZARDIACKAS, L. D. Comparison of dimensional accuracy of combined reversible/irreversible hydrocolloid materials, 795
HESBY, R. A. (*See* Marsaw et al), 361
HINMAN, R. W. (*See* Marsaw et al), 361
HOBO, S. Kinematic investigation of mandibular border movement by means of electronic measuring system. Part III: Rotational center of lateral movement, 66
HOLLAND, G. A. (*See* Manary and Holland), 275
HOOTS, J. (*See* Amsberry et al), 647
HOPPENBROUWERS, P. M. M. (*See* Dippel et al), 657
HOSODA, H. (*See* Hachiya et al), 811
HUISMAN, M. C. (*See* Vissink et al), 710
HURTADO, A. J., AND MCGIVNEY, G. P. Clip attachment for mandibular staple implant, 715

I

IGLESIAS, A. M., SORENSEN, S. E., CARTER, J. M., AND WILKO, R. A. Some properties of high-copper amalgam alloys comparing hand and mechanical trituration, 194
IWAKU, M. (*See* Hachiya et al), 811

J

Jackson, D. G. (*See* Williams et al), 120
Jacob, R. F. (*See* Martin et al), 414
Jaen, F. (*See* Guerra et al), 858
Jarosz, C. J. (*See* Shernoff et al), 305
— (*See* Whitsitt et al), 447
Jemt, T., and Olsson, K. Computer-based analysis of single chewing cycle during mastication in repeated registrations, 437
Jendresen, M. D. (*See* Glantz et al), 475
Jenkins, W. A. (*See* Moffa et al), 491
Jones, D. A. Fabricating cast post to salvage acceptable crown, 902
Jones, J. D., and Snyder, N. C. Role of dental hygienist in prosthodontic practice, 885
Jordan, R. D., and Taylor, T. D. Tooth duplication in complete dentures, 453
Josell, S. D., Gay, T., and Yaeger, J. A. Relationship between stage of dental development and electromyographic silent periods during chewing, 593
Jumbelic, R. (*See* Nassif and Jumbelic), 755

K

Kallus, T. Enhanced tissue response to denture base polymers in formaldehyde-sensitized guinea pigs, 292
— Evaluation of toxicity of denture base polymers after subcutaneous implantation in guinea pigs, 126
Kamansky, F. W., Tempel, T. R., and Post, A. C. Gingival tissue response to rotary curettage, 380
Kapur, K. K., and Garrett, N. R. Studies of biologic parameters for denture design. Part II: Comparison of masseter muscle activity, masticatory performance, and salivary secretion rates between denture and natural dentition groups, 408
Karv, M. (*See* Sasaki et al), 556
Kaufman, H. W. (*See* Renner et al), 581
Kawahara, H. (*See* Nakamura and Kawahara), 694
Kenny, G. E. (*See* Moore et al), 158
Khan, Z., Morris, J. C., and von Fraunhofer, J. A. Effect of irreversible hydrocolloid impressions on surface hardness of dental stone, 435
—, —, — Wear of nonanatomic (monoplane) acrylic resin denture teeth, 172
Kilani, B. H. Z., Retief, D. H., Guldag, M. V., Castleberry, D. J., and Fischer, T. E. Wettability of selected denture base materials, 288
Kinderknecht, J. (*See* Browning and Kinderknecht), 891
King, G. E. (*See* Martin et al), 414
— (*See* Rambach et al), 308
Kinouchi, Y. (*See* Sasaki et al), 556
Kirk, G. A. Bruxism in maxillary overdenture patients, 764
Kirkland, J. L. (*See* Cheuk and Kirkland), 563
Klein, D. J., and Shapiro, P. A. Soft tissue reaction to autologous root implant, 82
Knapp, J. F. (*See* Davis and Knapp), 736
Koth, D. L. (*See* McKinney et al), 267
Kotwal, K. R. Beyond classification of behavior types, 874
— Mixing bubble-free smooth alginate, 902
Kouyoumdjian, J. H., and Chalian, V. A. Interim obturator prosthesis with duplicated teeth and palate, 560
Krajicek, D. D., Dooner, J., and Porter, K. Observations on histologic features of human edentulous ridge. Part I: Mucosal epithelium, 526; Part II: Connective tissue, 682; Part III: Bone, 836
Kramer, D. C. (*See* Martin et al), 414
— (*See* Rambach et al), 308
Kraus, S. (*See* Darling et al), 111
— (*See* Goldstein et al), 421
Krug, R. S. Ceramic flask technique for duplicating complete denture, 896
Kull, S. L. (*See* DuBois et al), 522
Kurosaki, N. (*See* Tsuburaya et al), 57

L

LaBarre, E. E., and Ward, H. E. Alternative resin-bonded restoration, 247
Lacy, A. M. (*See* Copps et al), 340
Lancaster, J. S. (*See* Goldstein and Lancaster), 775
Lang, B. R. American Board of Prosthodontics, 903
Langer, A. Chemopsychotherapy and its role in prosthodontic failures in elderly patients, 14
Larheim, T. A. (*See* Wie et al), 76
Larsen, H. D. (*See* Guerra et al), 858
Latta, Jr., G. H. (*See* Cesario and Latta), 641
— (*See* McVay and Latta), 809
Lautenschlager, E. P. (*See* Lechner and Lautenschlager), 20
Lechner, S. K., and Lautenschlager, E. P. Processing changes in maxillary complete dentures, 20
Lee, W. C., and Eakle, W. S. Possible role of tensile stress in etiology of cervical erosive lesions of teeth, 374
Levin, B. Use of silver alloys to oppose lingual bladed denture teeth, 602
Levinson, E. Nature of side-shift in lateral mandibular movement and its implications in clinical practice, 91
Lewin-Epstein, J. (*See* Taicher et al), 264
Litvak, C. S. (*See* Eames and Litvak), 479
Logan, N. S. (*See* Taylor et al), 598; 747
Lubow, R. M. (*See* Spielberger et al), 397
Luebke, R. J. Sectional impression tray for patients with constricted oral opening, 135

M

MacDonald, J. W. C., and Hannam, A. G. Relationship between occlusal contacts and jaw-closing muscle activity during tooth clenching: Part I, 718; Part II, 862
Malone, W. F. P. (*See* Aiach et al), 500
Manary, D. G., and Holland, G. A. Evaluation of mandibular movement recording and programming procedures for molded condylar control articulator system, 275
Marchant, W. E. Intermediate restorative materials: Clean and simple mixing technique with predictable results, 764
Maroso, D. J., Schmidt, J. R., and Froemling, R. A. Post soldering telescopic pontic, 208
Marsaw, F. A., de Rijk, W. G., Hesby, R. A., Hinman, R. W., and Pelleu, Jr., G. B. Internal volumetric expansion of casting investments, 361
Marshall, A. G., and Goodkind, R. J. Investigation of tensile strength of nickel-chromium alloy dental solder joints, 666
Marshall, Jr., G. W. (*See* Cannon et al), 323
Marshall, S. J. (*See* Cannon et al), 323
Martin, J. W., Ganz, S. D., King, G. E., Jacob, R. F., and Kramer, D. C. Cranial implant modification, 414
— (*See* Rambach et al), 308
Martinoff, J. T. (*See* Rieder and Martinoff), 572
— (*See* Sorensen and Martinoff), 28
Matheney, J. L. Temporary reversible post and core restoration for multirooted teeth, 338
Matthews, A. C. (*See* Taylor et al), 598; 747
Mayhew, R. B. (*See* Spielberger et al), 397
McCartney, J. W. Flange adaptation discrepancy, palatal base distortion, and induced malocclusion caused by processing acrylic resin maxillary complete dentures, 545
McElroy, T. H., and Canada, K. W. Stabilized accurately fitting trial bases, 753
McGivney, G. P. (*See* Hurtado and McGivney), 715
McGrannahan, W. Multiple handpiece delivery system for tooth preparation, 73
McInnes-Ledoux, P., Austin, J. C., and Cleaton-Jones, P. E. Effect of citric acid pretreatment on dentinal cavity walls, 353
McKinney, Jr., R. V., Steflik, D. E., and Koth, D. L. Per, peri, or trans? Concept for improved dental implant terminology, 267
McLean, J. W., Wilson, A. D., and Prosser, H. J. Development and use of water-hardening glass-ionomer luting cements, 175
McNeight, M. K. (*See* Merchant et al), 877
McVay, T. J., and Latta, Jr., G. H. Incidence of maxillary midline diastema in adults, 809
Mehra, R. V. (*See* Appelbaum and Mehra), 537
Meisters, G. H. (*See* DuBois et al), 522
Mendez, A. J. (*See* Chiche and Mendez), 760
Merchant, V. A., McNeight, M. K., Ciborowski, C. J., and Molinary, J. A. Preliminary investigation of method for disinfection of dental impressions, 877
Miller, G. D. (*See* Tjan and Miller), 238
Miller, I. J. (*See* Glassman and Miller), 199

MILLER, V. J. (*See* van Niekerk et al), 406
MILLSTEIN, P. L. Customized shade guide for denture construction, 901
— Method to determine occlusal contact and noncontact areas: Preliminary report, 106
MISSIRLIAN, D. M. (*See* Turner and Missirlian), 467
MOFFA, J. P., JENKINS, W. A., ELLISON, J. A., AND HAMILTON, J. C. Clinical evaluation of two base metal alloys and a gold alloy for use in fixed prosthodontics: Five-year study, 491
MOLINARY, J. A. (*See* Merchant et al), 877
MONTEIRO, J. M. (*See* Winkler et al), 821
MONTEITH, B. D. Management of loading forces on mandibular distal-extension prostheses. Part I: Evaluation of concepts for design, 673; Part II: Classification for matching modalities to clinical situations, 832
MOORE, T. C., SMITH, D. E., AND KENNY, G. E. Sanitization of dentures by several denture hygiene methods, 158
MORA, A. F., AND FIRTELL, D. N. Cast post and core for nonparallel canals, 235
MORRIS, H. F. (*See* Winkler et al), 821
MORRIS, J. C. (*See* Khan et al), 172
— (*See* Kahn et al), 435
MULLICK, S. C. Radiopaque transitional restorations, 793
MUNCHERYAN, A., AND WOOD, T. Preclinical teaching technique for making master impressions, 432
MUSIKANT, B. L., AND DEUTSCH, A. S. New prefabricated post and core system, 631

N

NAKAMURA, M., AND KAWAHARA, H. Long-term biocompatibility test of denture base resins in vitro, 694
— (*See* Tsuburaya et al), 57
NASSIF, J., AND JUMBELIC, R. Duplicating maxillary complete dentures, 755
NAYLOR, W. P., AND STEWART, D. M. End-tuft toothbrush for partially edentulous patient, 311
NELSON, D. Minimizing damage to cast in mail, 141
— (See Brodbelt et al), 588
NEWTON, A. V. Psychosomatic component in prosthodontics, 871
NICHOLSON, J. W. (*See* Brukl et al), 61
NILNER, N. (*See* Glantz et al), 475
NORLING, B. K. (*See* Brukl et al), 61

O

ØDEGÅRD, J. (*See* Wie et al), 76
OHSAWA, M. (*See* Finger and Ohsawa), 800
ØILO, G., DAHL, B. L., AND GJEITANGER, R. Clinical study of two luting cements used on student-treated patients: Interim report, 518
OLSSON, K. (*See* Jemt and Olsson), 437
OLTHOF, A. (*See* Vissink et al), 710
ORAM, D. A., DAVIES, E. H., AND CRUICKSHANKS-BOYD, D. W. Fracture of ceramic and metalloceramic cylinders, 221

P

PANDERS, A. K. (*See* Vissink et al), 710
PELED, I. (*See* Taicher et al), 140
— (*See* Taicher et al), 264
PELLEU JR., G. B. (*See* Marsaw et al), 361
PERA, P. (*See* Preti et al), 270
PETERSON, L. C. (*See* Prévost et al), 204
PHILLIPS, R. W., CRIM, G., SWARTZ, M. L., AND CLARK, H. E. Resistance of calcium hydroxide preparations to solubility in phosphoric acid, 358
PHILP, G. K., AND BRUKL, C. E. Compressive strengths of conventional, twin foil, and all-ceramic crowns, 215
PIER, M. (*See* Goldman et al), 485
PORTER, K. (*See* Krajicek et al), 526; 682; 836
POST, A. C. (*See* Kamansky et al), 380
PRETI, G., ARDUINO, A., AND PERA, P. Consistency of performance of new craniostat for oblique lateral transcranial radiographs of temporomandibular joint, 270
PRÉVOST, A. P., FULLER, J. L., AND PETERSON, L. C. Composite and intermediate resin tag information in acid-etched enamel: Scanning electron microscopy evaluation, 204
PROSSER, H. J. (*See* McLean et al), 175

R

RAMBACH, S. C., MARTIN, J. W., KING, G. E., AND KRAMER, D. C. Fitting removable partial denture frameworks to master case prior to try-in appointment, 308
RAMFJORD, S. P. Changing concepts in periodontics, 781
RAZZOOG, M. E. (*See* Chemberlain et al), 744
REITZ, C. D. (*See* Sarrett and Reitz), 46
RENDER, P. J. Sectioning and indexing removable partial denture frameworks, 309
RENNER, R. P., BOUCHER, L. J., AND KAUFMAN, H. W. Osteoporosis in postmenopausal women, 581
RETIEF, D. H. (*See* Gross et al), 786
— (*See* Kilani et al), 288
RIEDER, C. E., AND MARTINOFF, J. T. Comparison of multiphasic dysfunction profile with lateral transcranial radiographs, 572
ROBINSON, E. (*See* Chamberlain et al), 744
RODGERS, H. (*See* Amsberry et al), 647
ROEFS, A. J. M., VAN OORT, R. P., AND SCHAUB, R. M. H. Factors related to acceptance of facial prostheses, 849
ROGERSON, J. N., AND SAUNDERS, T. R. Ear-banking: Time-saving method to assist in patient rehabilitation, 900
ROULET, J-F., AND WÄLTI, C. Influence of oral fluid on composite resin and glass-ionomer cement, 182
RUFFINO, A. R. Improved occlusal equilibration of complete dentures by augmenting occlusal anatomy of acrylic resin denture teeth, 300
RYGE, G. (*See* Glantz et al), 475

S

SANDRICK, J. (*See* Aiach et al), 500
SANTOS J. F. F., AND BALLESTER, R. Y. Delayed "hygroscopic" expansion of gypsum products, 366
SARKISSIAN, R. (*See* Tjan and Sarkissian), 50
SARRETT, D. C., AND REITZ, C. D. Heat generated when threaded pins are cut: Comparison of techniques, 46
SASAKI, H., KINOUCHI, Y., TSUTSUI, H., YOSHIDA, Y., KARV, M., AND USHITA, T. Sectional prostheses connected by samarium-cobalt magnets, 556
SAUNDERS, JR., V. W. (*See* Toljanic and Saunders), 852
SAUNDERS, T. R. Alternative method to conventional palatal fistula obturation, 762
— (*See* Rogerson and Saunders), 900
SAVOCA, D. E., AND SCHMIDT, J. R. Comparative stress effects of vented and nonvented self-threading retentive pins, 190
SCANDRETT, F. R. (*See* Ettinger et al), 532
SCHAUB, R. M. H. (*See* Roefs et al), 849
SCHMIDT, J. R. (*See* Maroso et al), 208
— (*See* Savoca and Schmidt), 190
SCHNEIDER, R. L. Stabilizing pantography from patient to articulator, 310
— AND TAYLOR, T. D. Compressive strength and surface hardness of type IV die stone when mixed with water substitutes, 510
SCHWEIKERT, E. O. Feather-edged or knife-edged preparation and impression technique, 243
SEGAL, A. G., GIBBONS, M. J., AND ZASLOW, L. Alternative to trimming dies, 138
SELA, M., AND TAICHER, S. Restoration of movement to upper eyelid in facial palsy by individual gold implant prosthesis, 88
—, — Prosthetic treatment of earlobe keloids, 417
— (*See* Taicher et al), 140
— (*See* Taicher et al), 264
SELUK, L. W. (*See* Brodbelt et al), 588
'S-GRAVENMADE, E. J. (*See* Vissink et al), 710
SHAPIRO, P. A. (*See* Klein and Shapiro), 82
SHEN, C., COLAIZZI, F. A., AND BIRNS, B. Strength of denture repairs as influenced by surface treatment, 844
SHERMAN, JR., J. R. Making maxillary record base with dental surveyor, 750
SHERNOFF, A. F., BATTLE, L. W., AND JAROSZ, C. J. Alternative to conventional overdenture attachments with Molloplast B: Technique, 305
SILVA-PARRA, J. (*See* Blanco-Dalmau et al), 116
SILVERMAN, JR., S. (*See* Gorsky and Silverman), 164
SIMON, R. L. Rationale and practical technique for uprighting mesially inclined molars, 256

SMITH, D. E. (*See* Moore et al), 158
SNYDER, N. C. (*See* Jones and Snyder), 885
SOKOL, D. J. Effective use of current core and post concepts, 231
SOLHEIM, T. (*See* Wie et al), 76
SONI, A., AND GOLDSTEIN, G. R. Use of adhesive vinyl tooth forms as aid in arrangement of artificial teeth. 604
SOOUDI, I., AND GREEN, K. W. A metal-faced casting resin mold for facial prostheses, 554
SORENSEN, J. A., AND MARTINOFF, J. T. Clinically significant factors in dowel design, 28
SORENSEN, S. E. (*See* Iglesias et al), 194
SPIELBERGER, M. C., LUBOW, R. M., BANGE, A. A., AND MAYHEW, R. A. Effect of retentive arm clasp design on gingival health: Feasibility study, 397
STEFLIK, D. E. (*See* McKinney et al), 267
STEWART, D. M. (*See* Naylor and Stewart), 311
STOFFER, W. M. (*See* Gordon et al), 99
STOHLER, C. S., AND ASH, JR., M. M. Silent period in jaw elevator muscle activity during mastication, 729
STRATING, H. (*See* Van Rensburg and Strating), 210
SUNDERMAN, E. J. (*See* Gelfand et al), 635
SWARTZ, M. L. (*See* Phillips et al), 358

T

TAKATSU, T. (*See* Tsuburaya et al), 57
TAMES, M. A. (See Herring et al), 795
TAYLOR, T. D., MATTHEWS, A. C., AQUILINO, S. A., AND LOGAN, N. S. Prosthodontic survey. Part I: Removable prosthodontic laboratory survey, 598; Part II: Removable prosthodontic curriculum survey, 747
— (*See* Aquilino and Taylor), 879
— (*See* Ettinger et al), 532
— (See Jordan and Taylor), 453
— (*See* Schneider and Taylor), 510
TAYLOR, T. J. (*See* Hembree and Taylor), 790
TAICHER, S., SELA, M., LEWIN-EPSTEIN, J., WEXLER, M. R., AND PELED, I. J. Use of polydimethylsiloxane subdermal implants for correcting facial deformities in Down's syndrome, 264
—, —, AND PELED, I. Soft surgical vinyl resin obturator, 140
— (*See* Sela and Taicher), 88
— (*See* Sela and Taicher), 417
TEDESCO, L. A. (*See* Albino et al), 9
TEMPEL, T. R. (*See* Kamansky et al), 380
TEN BOSCH, J. J. (*See* van Oort et al), 704
TEN HARKEL-HAGENAAR, E. (*See* de Gee et al), 626
TERADA, Y. Radiograph stress measurement of porcelain fused to metal, 349
TJAN, A. H. L., AND MILLER, G. D. Comparison of retentive properties of dowel forms after application of intermittent torsional forces, 238
— AND SARKISSIAN, R. Internal escape channel: Alternative to venting complete cast crowns, 50
TOLJANIC, J. A., AND SAUNDERS, JR., V. W., Radiation therapy and management of irradiated patient, 852
— AND ZUCUSKIE, T. G. Use of palatal reservoir in denture patients with xerostomia 540
TOLO, K. (*See* Wie et al), 76
TOWNSEND, L. W. A., GRISWOLD, W. H., AND VERMILYEA, S. G. Preliminary observations on clinical use of base metal casting alloy, 370
TSUBURAYA, T., KUROSAKI, N., TAKATSU, T., AND NAKAMURA, M. Surface adhesion and retentive force of cements, 57
TSUTSUI, H. (*See* Sasaki et al), 556
TUCKER, T. N. Head position for transcranial temporomandibular joint radiographs, 426
TURNER, K. A., AND MISSIRLIAN, D. M. Restoration of extremely worn dentition, 467

U

USHITA, T. (*See* Sasaki et al), 556

V

VALDERHAUG, J., AND FLØYSTRAND, F. Dimensional stability of elastomeric impression materials in custom-made and stock trays, 514
VAN FAASSEN, F. (*See* Denissen et al), 260
VAN MENS, P. R., AND DE VRIES, H. Interocclusal distance determined by electromyographic biofeedback compared with conventional methods, 443
VAN NIEKERK, F. W., BIBBY, R. E., AND MILLER, V. J. Relations between edentulous rest position and complete denture intercuspal position, 406
VAN OORT, R. P., VERMEY, J., AND TEN BOSCH, J. J. Skin response to cobalt 60 irradiation and consequences for matching color of facial prostheses, 704
— (*See* Roefs et al), 849
VAN RENSBURG, F., AND STRATING, H. Evaluation of marginal integrity of ceramometal restorations: Part II, 210
VELDHUIS, H. A. (*See* Denissen et al), 260
VERMEY, A. (*See* Vissink et al), 710
VERMEY, J. (*See* van Oort et al), 704
VERMILYEA, S. G. (*See* Townsend et al), 370
VISCH, L. L. (*See* Vissink et al), 710
VISSINK, A., 'S-GRAVENMADE, E. J., PANDERS, A. K., OLTHOF, A., VERMEY, A., HUISMAN, M. C., AND VISCH, L. L. Artificial saliva reservoirs, 710
VON FRAUNHOFER, J. A. (*See* Amsberry et al), 647
— (*See* Carroll and von Fraunhofer), 639
— (*See* Khan et al), 172
— (*See* Kahn et al), 435
VORKINN, B. (*See* Wie et al), 76

W

WALDMAN, H. B. Questioning our perceptions of the elderly: Some thoughts for the dentist, 739
WALKER, G. F. (*See* Brodbelt et al), 588
WÄLTI, C. (*See* Roulet and Walti), 182
WARD, H. E. (*See* LaBarre and Ward), 247
WARE, O. H. Customized shade guide, 449
WEED, R. M., AND BAEZ, R. J. Method for determining adequate resistance form of complete cast crown preparations, 330
WESTBURY, L. (*See* Gould et al), 418
WEXLER, M. R. (*See* Taicher et al), 264
WHITSITT, J. A., AND BATTLE, L. W. Technique for making flexible impression trays for microstomic patient, 608
—, —, AND JAROSZ, C. J. Enhanced retention for distal extension-base removable partial denture using heat-cured resilient soft liner, 447
WHITSETT, L. D. (*See* Wilson et al), 663
WHITSETT, T. L. (*See* Wilson et al), 663
WIE, H. LARHEIM, T. A., TOLO, K., SOLHEIM, T., FAEHN, O., HAANAES, H. R., ØDEGÅRD, J., AND VORKINN, B. Implant-tissue interface of endosseous dental implants in dogs. Validity of clinical evaluation methods, 76
WILKO, R. A. (*See* Iglesias et al), 194
WILLIAMS, E. O., AND HARTMAN, G. E. Compatibility of reversible hydrocolloid duplicating materials and dental stones, 699
WILLIAMS, P. T., JACKSON, D. G., AND BERGMAN, W. Evaluation of time-dependent dimensional stability of eleven elastomeric impression materials, 120
WILLIAMS, W. B. (*See* Goldstein et al), 421
WILSON, A. D. (*See* McLean et al), 175
WILSON, JR., E. L., WHITSETT, L. D., AND WHITSETT, T. L. Effects of methantheline bromide and clinidine hydrochloride on salivary secretion, 663
WINKLER, S., MORRIS, H. F., AND MONTEIRO, J. M. Changes in mechanical properties and microstructure following heat treatment of nickel-chromium base alloy, 821
WINSTANLEY, R. B. Prosthodontic treatment of patients with hypodontia, 687
WOOD, T. (*See* Muncheryan and Wood), 432
WRIGHT, W. (*See* Donovan et al), 384

Y

YAEGER, J. A. (*See* Josell et al), 593
YOSHIDA, Y. (*See* Sasaki et al), 556
YUODELIS, R. A. (*See* Compagni et al), 41

Z

ZARDIACKAS, L. D. (*See* Herring et al), 795
ZASLOW, L. (*See* Segal et al), 138

ZIEBERT, G. J., AND BALTHAZAR-HART, Y. Stabilized baseplate technique for interocclusal records, 606
— (*See* Balthazar et al), 804
ZILLICH, R. M., AND CORCORAN, J. F. Average maximum post lengths in endodontically treated teeth, 489
ZUCUSKIE, T. G. (*See* Toljanic and Zucuskie), 540

Subject index

A

Abrasion of enamel and composite resin by removable partial denture clasps (Hebel et al), 389
preformed laminate resin veneers, surface resistance to (Cannon et al), 323
resistant cases for removable partial dentures (Fox et al) (Tips), 763
Acceptable crown, fabricating cast post to salvage (Jones) (Tips), 902
Acceptance of facial prostheses, factors related to (Roefs et al), 849
Accuracy, dimensional, of combined reversible/irreversible hydrocolloid impression system, comparison of, with other commonly used impression materials (Herring et al), 795
Acid, citric, pretreatment, effect of, on dentinal cavity walls (McInnes-Ledoux et al), 353
-etch composite resin restorative systems, marginal leakage of several (Amsberry et al), 647
-etched enamel, composite and intermediate resin tag formation in: Scanning electron microscopy evaluation (Prévost et al), 204
phosphoric, resistance of calcium hydroxide preparations to solubility in (Phillips et al), 358
Acquired or congenital intraoral anatomic defects, obturation of (Coffey), 559
Acrylic resin denture teeth, improved occlusal equilibration of complete dentures by augmenting occlusal anatomy of (Ruffino), 300
denture teeth, wear of nonanatomic (monoplane) (Khan et al), 172
insert to simulate cartilaginous structure in silicone prosthetic ear, technique for using (Disantis), 889
maxillary complete dentures, flange adaptation discrepancy, palatal base distortion, and induced malocclusion caused by processing (McCartney), 545
prostheses, wire reinforcement of (Carroll and von Fraunhofer), 639
Activity, jaw-closing muscle, and occlusal contacts during tooth clenching, relationship between: Part I (MacDonald and Hannam), 718; Part II (MacDonald and Hannam), 862
elevator muscle, during mastication, silent period in (Stohler and Ash), 729
Adaptation discrepancy, flange, palatal base distortion, and induced malocclusion caused by processing acrylic resin maxillary complete dentures (McCartney), 545
functional, to changes in vertical dimension (Hellsing), 867
Adhesion, surface, and retentive force of cements (Tsuburaya et al), 57
AIDS, significance of, to dentists and dental practice (Davis and Knapp), 736
Alginate, mixing bubble-free smooth (Kotwal) (Tips), 902
All-ceramic, conventional, and twin foil crowns, compressive strengths of (Philp and Brukl), 215
Allergy, nickel, study of (Blanco-Dalmau et al), 116
Alloy(s), base metal casting, preliminary observations on clinical use of (Townsend et al), 370
gold, and two base metal alloys for use in fixed prosthodontics, clinical evaluation of: Five-year study (Moffa et al), 491
Alloy(s)—cont'd
nickel-chrome casting, and porcelain, corrosion-fatigue of bond between (DeLong et al), 344
base, changes in mechanical properties and microstructure following heat treatment of (Winkler et al), 821
dental solder joints, investigation of tensile strength of (Marshall and Goodkind), 666
silver, to oppose lingual bladed denture teeth, use of (Levin), 602
some properties of high-copper amalgam, comparing hand and mechanical trituration (Iglesias et al), 194
two base metal, and gold alloy for use in fixed prosthodontics, clinical evaluation of: Five-year study (Moffa et al), 491
Altered occlusions, provisional restorations for (Fox et al), 567
Alveolar region, preprosthetic improvement of, by grafting with attached oral mucosa (Griffiths and Harvey), 5
Amalgam(s) alloys, some properties of high-copper, comparing hand and mechanical trituration (Iglesias et al), 194
antibacterial properties of one conventional and three high-copper dental (Glassman and Miller), 199
removal of overhanging: Comparative study of three instruments (Givens et al), 815
American Board of Prosthodontics (Lang), 903
history, information, and examination requirements of (American Board of Prosthodontics), 281
Analysis, computer-based, of single chewing cycle during mastication in repeated registrations (Jemt and Olsson), 437
Anatomic defects, obturation of congenital or acquired intraoral (Coffey), 559
study: Implant placement in atrophic mandible (Denissen et al), 260
Anatomy, occlusal, of acrylic resin denture teeth, improved occlusal equilibration of complete dentures by augmenting (Ruffino), 300
Anterior teeth, multiple direct patterns for cast post and core in (Halhoul and El-Baghdady), 36
Antibacterial properties of one conventional and three high-copper dental amalgams (Glassman and Miller), 199
Arm clasp design, retentive, effect of, on gingival health: Feasibility study (Spielberger et al), 397
Arrangement of artificial teeth, use of adhesive vinyl tooth forms as aid in (Soni and Goldstein), 604
Articulation errors, speech, and increased vertical dimension (Hammond and Beder), 401
Articulator, stabilizing pantograph from patient to (Schneider), 310
system, molded condylar control, evaluation of mandibular movement recording and programming procedures for (Manary and Holland), 275
Artificial saliva reservoirs (Vissink et al), 710
teeth, use of adhesive vinyl tooth forms as aid in arrangement of (Soni and Goldstein), 604
Atrophic mandible, implant placement in: Anatomic study (Denissen et al), 260
Attached oral mucosa, preprosthetic improvement of alveolar region by grafting with (Griffiths and Harvey), 5
Attachment(s), alternative to conventional overdenture, with Molloplast B: Technique (Shernoff et al), 305
clip, for mandibular staple implant (Hurtado and McGivney), 715

July, 1-152; August, 153-318; September, 319-466; October, 467-618; November 619-774; December, 775-940.

Attachment(s)—cont'd
of human gingiva to titanium in vivo, ultrastructural study of (Gould et al), 418
Pin Desmarets, indications and use of (Davidoff), 250
Augmentation, hydroxyapatite, of edentulous ridges (Alling), 828
Autologous root implant, soft tissue reaction to (Klein and Shapiro), 82
Axis, location of terminal hinge, and its effect on second molar cusp position (Gordon et al), 99
position, transverse, effect of interocclusal records on (Balthazar et al), 804

B

Base(s), denture, resins in vitro, long-term biocompatibility test of (Nakamura and Kawahara), 694
-distal extension removable partial denture, enhanced retention for, using heat-cured resilient soft liner (Whitsitt et al), 447
making maxillary record, with dental surveyor (Sherman), 750
materials, denture, wettability of selected (Kilani et al), 288
metal casting alloy, preliminary observations on clinical use of (Townsend et al), 370
alloys, two, and gold alloy for use in fixed prosthodontics, clinical evaluation of: Five-year study (Moffa et al), 491
palatal, distortion, flange adaptation discrepancy, and induced malocclusion caused by processing acrylic resin maxillary complete dentures (McCartney), 545
polymers, denture(s), enhanced tissue response to, in formaldehyde-sensitized guinea pigs (Kallus), 292
evaluation of toxicity of, after subcutaneous implantation in guinea pigs (Kallus), 126
stabilized accurately fitting trial (McElroy and Canada), 753
Baseplate(s), fabrication of accurate, for restricted interarch space (Bolouri), 303
stabilized, technique for interocclusal records (Ziebert and Balthazar-Hart), 606
Behavior types, beyond classification of (Kotwal), 874
Biocompatibility test, long-term, of denture base resins in vitro (Nakamura and Kawahara), 694
Biofeedback, electromyographic, interocclusal distance determined by, compared with conventional methods (van Mens and de Vries), 443
Biologic parameters for denture design, studies of. Part II: Comparison of masseter muscle activity, masticatory performance, and salivary secretion rates between denture and natural dentition groups (Kapur and Garrett), 408
Bladed denture teeth, lingual, use of silver alloys to oppose (Levin), 602
Board, American, of Prosthodontics (Lang), 903
history, information, and examination requirements of (American Board of Prosthodontics), 281
Bond between nickel-chrome casting alloys and porcelain, corrosion-fatigue of (DeLong et al), 344
Bonded-resin restoration, alternative (LaBarre and Ward), 247
Bonding strength of cemented crowns, effect of disclosing wax on (Brukl et al), 61
Bone, Part III: Observations on histologic features of human edentulous ridge (Krajicek et al), 836
Border movement, mandibular, kinematic investigation of, by means of electronic measuring system. Part III: Rotational center of lateral movement (Hobo), 66
Box design, proximal, in inlay preparations, relationship of wall orientation to (DuBois et al), 522
Bruxism in maxillary overdenture patients (Kirk), (Tips), 764
Bubble-free smooth alginate, mixing (Kotwal) (Tips), 902
Burn(s) patients, oral, prostheses for (Gay), 564
to lip commissures, splint for (Cheuk and Kirkland), 563

C

Calcium hydroxide preparations, resistance of, to solubility in phosphoric acid (Phillips et al), 358
Canals, nonparallel, cast post and core for (Mora and Firtell), 235
Cancer, oral, and denture wearing (Gorsky and Silverman), 164
Care, quality of: Compared perceptions of patient and prosthodontist (Chamberlain et al), 744
Cartilaginous structure in silicone prosthetic ear, technique for using acrylic resin insert to simulate (Disantis), 889
Cases, abrasion resistant, for removable partial dentures (Fox et al), (Tips), 763
Cast(s) crowns, complete, alternative to venting: Internal escape channel (Tjan and Sarkissian), 50
preparations, complete, method for determining adequate resistance form of (Weed and Baez), 330
-gold crowns, full, nonanatomic patterns for (Chiche and Mendez), 760
master, fitting removable partial denture frameworks to, prior to try-in appointment (Rambach et al), 308
minimizing damage to, in mail (Nelson) (Tips), 141
post and core for nonparallel canals (Mora and Firtell), 235
in anterior teeth, multiple direct patterns for (Halhoul and El-Baghdady), 36
fabricating, to salvage acceptable crown (Jones) (Tips), 902
restorations produced by refractory die-investing technique, accuracy of (Finger and Ohsawa), 800
recent advances in etched (Barrack), 619
Casting alloy, base metal, preliminary observations on clinical use of (Townsend et al), 370
investments, internal volumetric expansion of (Marsaw et al), 361
machine, sprue design, and heat source, effects of, on casting porosity (Compagni et al), 41
porosity, effects of sprue design, casting machine, and heat source on (Compagni et al), 41
resin mold, metal-faced, for facial prostheses (Sooudi and Green), 554
Cavity walls, dentinal, effect of citric acid pretreatment on (McInnes-Ledoux et al), 353
Cavosurface designs, different, microleakage of microfilled composite resin restorations with (Hembree), 653
Cement(s), clinical study of two luting, used on student-treated patients: Interim report (Øilo et al), 518
development and use of water-hardening glass-ionomer luting (McLean et al), 175
glass-ionomer, and composite resin, influence of oral fluid on (Roulet and Walti), 182
surface adhesion and retentive force of (Tsuburaya et al), 57
Cemented crowns, effect of disclosing wax on bonding strength of (Brukl et al), 61
posts, effect of dentin smear layer on tensile strength of (Goldman et al), 485
Center, rotational, of lateral movement, Part III: Kinematic investigation of mandibular border movement by means of electronic measuring system (Hobo), 66
Central incisor, mesiodistal width of maxillary, and interpupillary distance, relationship between (Cesario and Latta), 641
Ceramic-all, conventional, and twin foil crowns, compressive strengths of (Philp and Brukl), 215
and metalloceramic cylinders, fracture of (Oram et al), 221
flask technique for duplicating complete denture (Krug), 896
Ceramometal restorations, evaluation of marginal integrity of: Part II (Van Rensburg and Strating), 210
Cervical erosive lesions of teeth, possible role of tensile stress in etiology of (Lee and Eakle), 374
posture, influence of, on mandibular movement (Goldstein et al), 421
Channel, internal escape: Alternative to venting complete cast crowns (Tjan and Sarkissian), 50
Chemopsychotherapy and its role in prosthodontic failures in elderly patients (Langer), 14
Chewing cycle, single, computer-based analysis of, during mastication in repeated registrations (Jemt and Olsson), 437
relationship between stage of dental development and electromyographic silent periods during (Josell et al), 593
Chrome-nickel casting alloys and porcelain, corrosion-fatigue of bond between (DeLong et al), 344
Chromium-nickel alloy dental solder joints, investigation of tensile strength of (Marshall and Goodkind), 666
base alloy, changes in mechanical properties and microstructure following heat treatment of (Winkler et al), 821

Citric acid pretreatment, effect of, on dentinal cavity walls (McInnes-Ledoux et al), 353
Clasp(s) design, retentive arm, effect of, on gingival health: Feasibility study (Spielberger et al), 397
removable partial denture, abrasion of enamel and composite resin by (Hebel et al), 389
Classification of behavior types, beyond (Kotwal), 874
Clenching, tooth, relationship between occlusal contacts and jaw-closing muscle activity during: Part I (MacDonald and Hannam), 718; Part II (MacDonald and Hannam), 862
Clinical use of base metal casting alloy, preliminary observations on (Townsend et al), 370
Clinically significant factors in dowel design (Sorensen and Martinoff), 28
Clip attachment for mandibular staple implant (Hurtado and McGivney), 715
Clonidine hydrochloride and methantheline bromide, effects of, on salivary secretion (Wilson et al), 663
Cobalt-samarium magnets, sectional prostheses connected by (Sasaki et al), 556
60 irradiation, skin responses to, and consequences for matching color of facial prostheses (van Oort et al), 704
Color of facial prostheses, skin response to cobalt 60 irradiation and consequences for matching (van Oort et al), 704
Commissures, splint for burns to lip (Cheuk and Kirkland), 563
Complete cast crown(s), alternative to venting: Internal escape channel (Tjan and Sarkissian), 50
preparations, method for determining adequate resistance form of (Weed and Baez), 330
denture(s), acrylic resin maxillary, flange adaptation discrepancy, palatal base distortion, and induced malocclusion caused by processing (McCartney), 545
ceramic flask technique for duplicating (Krug), 896
duplicating maxillary (Nassif and Jumbelic), 755
impressions, clinical evaluation of polyvinylsiloxane for (Appelbaum and Mehra), 537
improved occlusal equilibration of, by augmenting occlusal anatomy of acrylic resin denture teeth (Ruffino), 300
intercuspal position and edentulous rest position, relations between (van Niekerk et al), 406
maxillary, processing changes in (Lechner and Lautenschlager), 20
tooth duplication in (Jordan and Taylor), 453
veneer crowns, effect of, on compressive strength of endodontically treated posterior teeth (Gelfand et al), 635
Composite and intermediate resin tag formation in acid-etched enamel: Scanning electron microscopy evaluation (Prévost et al), 204
resin(s) and enamel, abrasion of, by removable partial denture clasps (Hebel et al), 389
glass-ionomer cement, influence of oral fluid on (Roulet and Wälti), 182
incompletely cured, color dye for identification of (de Gee et al), 626
relation of finish to discoloration of (Hachiya et al), 811
restorations, marginal leakage of visible light–cured (Hembree and Taylor), 790
microfilled, with different cavosurface designs, microleakage of (Hembree), 653
restorative systems, marginal leakage of several acid-etch (Amsberry et al), 647
thermal expansion and filler content of (Hashinger and Fairhurst), 506
Compressive strength(s) and surface hardness of type IV die stone when mixed with water substitutes (Schneider and Taylor), 510
of conventional, twin foil, and all-ceramic crowns (Philp and Brukl), 215
endodontically treated posterior teeth, effect of complete veneer crowns on (Gelfand et al), 635
Computer-based analysis of single chewing cycle during mastication in repeated registrations (Jemt and Olsson), 437
Condylar control articulator system, molded, evaluation of mandibular movement recording and programming procedures for (Manary and Holland), 275
Congenital or acquired intraoral anatomic defects, obturation of (Coffey), 559
Connective tissue, Part II: Observations on histologic features of human edentulous ridge (Krajicek et al), 682
Constricted oral opening, sectional impression tray for patients with (Luebke), 135
Construction, denture, customized shade guide for (Millstein) (Tips), 901
Contact(s) and noncontact areas, occlusal, method to determine: Preliminary report (Millstein), 106
occlusal, and jaw-closing muscle activity during tooth clenching, relationship between: Part I (MacDonald and Hannam), 718; Part II (MacDonald and Hannam), 862
Conventional, one, and three high-copper dental amalgams, antibacterial properties of (Glassman and Miller), 199
overdenture attachments, alternative to, with Molloplast B: Technique (Shernoff et al), 305
twin foil, and all-ceramic crowns, compressive strengths of (Philp and Brukl), 215
Copper-high amalgam alloys, some properties of, comparing hand and mechanical trituration (Iglesias et al), 194
three, and one conventional dental amalgams, antibacterial properties of (Glassman and Miller), 199
Core and post, cast, for nonparallel canals (Mora and Firtell), 235
in anterior teeth, multiple direct patterns for (Halhoul and El-Baghdady), 36
concepts, effective use of current (Sokol), 231
restoration, temporary reversible, for multirooted teeth (Matheney), 338
system, new prefabricated (Musikant and Deutsch), 631
Correction of defective impressions by selective addition of impression material (Bomberg and Hatch), 38
Corrosion-fatique of bond between nickel-chrome casting alloys and porcelain (DeLong et al), 344
Cranial implant modification (Martin et al), 414
Craniostat, new, for oblique lateral transcranial radiographs of temporomandibular joint, consistency of performance of (Preti et al), 270
Crown(s), acceptable, fabricating cast post to salvage (Jones) (Tips), 902
cemented, effect of disclosing wax on bonding strength of (Brukl et al), 61
complete cast, alternative to venting: Internal escape channel (Tjan and Sarkissian), 50
compressive strengths of conventional, twin foil, and all-ceramic (Philp and Brukl), 215
effect of complete veneer, on compressive strength of endodontically treated posterior teeth (Gelfand et al), 635
full cast-gold, nonanatomic patterns for (Chiche and Mendez), 760
preparations, complete cast, method for determing adequate resistance form of (Weed and Baez), 330
Cured, incompletely, composite resins, color dye for identification of (de Gee et al), 626
-light restorative materials, hardness of, and visible curing lights, comparison study of (Friedman and Hassan), 504
-visible light composite resin restorations, marginal leakage of (Hembree and Taylor), 790
Curettage, rotary, gingival tissue response to (Kamansky et al), 380
Curing lights, visible, and hardness of light-cured restorative materials, comparison study of (Friedman and Hassan), 504
Curriculum survey, removable prosthodontic, Part II: Prosthodontic survey (Taylor et al), 747
and laboratory survey, prosthodontic. Part III: Fixed prosthodontic laboratory survey (Aquilino and Taylor), 879
Cusp position, second molar, location of terminal hinge axis and its effect on (Gordon et al), 99
Custom-made and stock trays, dimensional stability of elastomeric impression materials in (Valderhaug and Fløystrand), 514
Customized shade guide (Ware), 449
for denture construction (Millstein) (Tips), 901
Cycle, single chewing, computer-based analysis of, during mastication in repeated registrations (Jemt and Olsson), 437
Cylinders, ceramic and metalloceramic, fracture of (Oram et al), 221

D

Damage to casts in mail, minimizing (Nelson) (Tips), 141
Defects, obturation of congenital or acquired intraoral anatomic (Coffey), 559
Defective impressions, correction of, by selective addition of impression material (Bomberg and Hatch), 38
Deformities, facial, in Down's syndrome, use of polydimethylsiloxane subdermal implants for correcting (Taicher et al), 264
Delivery system, multiple handpiece, for tooth preparation (McGrannahan), 73
Dental amalgams, antibacterial properties of one conventional and three high-copper (Glassman and Miller), 199
development, stage of, and electromyographic silent periods during chewing, relationship between (Josell et al), 593
-facial esthetics, patient perceptions of: Shared concerns in orthodontics and prosthodontics (Albino et al), 9
hygienist in prosthodontic practice, role of (Jones and Snyder), 885
implant(s), endosseous, in dogs, implant-tissue interface of. Validity of clinical evaluation methods (Wie et al), 76
terminology, concept for improved: Per, peri, or trans? (McKinney et al), 267
impressions, preliminary investigation of method for disinfection of (Merchant et al), 877
porcelains, five low-fusing, effects of topical fluorides on (Copps et al), 340
practice and dentists, significance of AIDS to (Davis and Knapp), 736
solder joints, nickel-chromium alloy, investigation of tensile strength of (Marshall and Goodkind), 666
stone(s) and reversible hydrocolloid duplicating materials, compatibility of (Williams and Hartman), 699
effect of irreversible hydrocolloid impressions on surface hardness of (Khan et al), 435
surveyor, making maxillary record base with (Sherman), 750
Dentin smear layer, effect of, on tensile strength of cemented posts (Goldman et al), 485
Dentinal cavity walls, effect of citric acid pretreatment on (McInnes-Ledoux et al), 353
smear layer, morphology and permeability of (Dippel et al), 657
Dentist(s) and dental practice, significance of AIDS to (Davis and Knapp), 736
some thoughts for: Questioning our perceptions of elderly (Waldman), 739
Detition, restoration of extremely worn (Turner and Missirlian), 467
Denture(s), acrylic resin maxillary complete, flange adaptation discrepancy, palatal base distortion, and induced malocclusion caused by processing (McCartney), 545
and natural dentition groups, comparison of masseter muscle activity, masticatory performance, and salivary secretion rates between, Part II: Studies of biologic parameters for denture design (Kapur and Garrett), 408
base materials, wettability of selected (Kilani et al), 288
polymers, enhanced tissue response to, in formaldehyde-sensitized guinea pigs (Kallus), 292
evaluation of toxicity of, after subcutaneous implantation in guinea pigs (Kallus), 126
resins in vitro, long-term biocompatibility test of (Nakamura and Kawahara), 694
clasps, removable partial, abrasion of enamel and composite resin by (Hebel et al), 389
complete, ceramic flask technique for duplicating (Krug), 896
intercuspal position and edentulous rest position, relations between (van Niekerk et al), 406
construction, customized shade guide for (Millstein) (Tips), 901
design, studies of biologic parameters for. Part II: Comparison of masseter muscle activity, masticatory performance, and salivary secretion rates between denture and natural dentition groups (Kapur and Garrett), 408
duplicating maxillary complete (Nassif and Jumbelic), 755
enhanced retention for distal extension-base removable partial, with a heat-cured resilient soft liner (Whitsitt et al), 447
Denture(s)—cont'd
frameworks, fitting removable partial, to master cast prior to try-in appointment (Rambach et al), 308
sectioning and indexing removable partial (Render), 309
hygiene methods, several, sanitization of dentures by (Moore et al), 158
impressions, complete, clinical evaluation of polyvinylsiloxane for (Applebaum and Mehra), 537
improved occlusal equilibration of complete, by augmenting occlusal anatomy of acrylic resin denture teeth (Ruffino), 300
maxillary complete, processing changes in (Lechner and Lautenschlager), 20
palateless: Help for gagging patient (Farmer and Connelly), 691
patients with xerostomia, use of palatal reservoir in (Toljanic and Zucuskie), 540
removable partial, abrasion resistant cases for (Fox et al) (Tips), 763
repairs, strength of, as influenced by surface treatment (Shen et al), 844
sanitization of, by several denture hygiene methods (Moore et al), 158
tooth (teeth), acrylic resin, improved occlusal equilibration of complete dentures by augmenting occlusal anatomy of (Ruffino), 300
duplication in complete (Jordan and Taylor), 453
lingual bladed, use of silver alloys to oppose (Levin), 602
wear of nonanatomic (monoplane) acrylic resin (Khan et al), 172
wearing and oral cancer (Gorsky and Silverman), 164
Design, dowel, clinically significant factors in (Sorensen and Martinoff), 28
proximal box, in inlay preparations, relationship of wall orientation to (DuBois et al), 522
sprue, casting machine, and heat source, effects of, on casting porosity (Compagni et al), 41
Development, stage of dental, and electromyographic silent periods during chewing, relationship between (Josell et al), 593
Diastema, maxillary midline, incidence of, in adults (McVay and Latta), 809
Die(s), alternative to trimming (Segal et al), 138
-investing technique, refractory, accuracy of cast restorations produced by (Finger and Ohsawa), 800
spacers, use of paint-on, in preparations with grooves (Donovan et al), 384
stone, type IV, compressive strength and surface hardness of, when mixed with water substitutes (Schneider and Taylor), 510
Dimension, increased vertical, and speech articulation errors (Hammond and Beder), 401
vertical, functional adaptation to changes in (Hellsing), 867
Dimensional accuracy of combined reversible/irreversible hydrocolloid impression system, comparison of, with other commonly used impression materials (Herring et al), 795
of epoxy resins and their compatibility with impression materials (Aiach et al), 500
stability of elastomeric impression materials in custom-made and stock trays (Valderhaug and Fløystrand), 514
time-dependent, of eleven elastomeric impression materials, evaluation of (Williams et al), 120
Disclosing wax on bonding strength of cemented crowns, effect of (Brukl et al), 61
Discoloration of composite resins, relation of finish to (Hachiya et al), 811
Discrepancy, flange adaptation, palatal base distortion, and induced malocclusion caused by processing acrylic resin maxillary complete dentures (McCartney), 545
Disinfection of dental impressions, preliminary investigation of method for (Merchant et al), 877
Distal extension-base removable partial denture, enhanced retention for, using heat-cured resilient soft liner (Whitsitt et al), 447
prostheses, mandibular, management of loading forces on. Part I: Evaluation of concepts for design (Monteith), 673; Part II: Classification for matching modalities to clinical situations (Monteith), 832

Distortion, palatal base, flange adaptation discrepancy, and induced malocclusion caused by processing acrylic resin maxillary complete dentures (McCartney), 545
Dowel design, clinically significant factors in (Sorensen and Martinoff), 28
forms, comparison of retentive properties of, after application of intermittent torsional forces (Tjan and Miller), 238
Down's syndrome, use of polydimethylsiloxane subdermal implants for correcting facial deformities in (Taicher et al), 264
Duplicating maxillary complete dentures (Nassif and Jumbelic), 755
Duplication, tooth, in complete dentures (Jordan and Taylor), 453
Dye, color, for identification of incompletely cured composite resins (de Gee et al), 626
Dysfunction profile, multiphasic, comparison of, with lateral transcranial radiographs (Rieder and Martinoff), 572

E

Ear, silicone prosthetic, technique for using acrylic resin insert to simulate cartilaginous structure in (Disantis), 889
-banking: Time-saving method to assist in patient rehabilitation (Rogerson and Saunders) (Tips), 900
Earlobe keloids, prosthetic treatment of (Sela and Taicher), 417
Edentulous patient, partially, end-tuft toothbrush for (Naylor and Stewart), 311
rest position and complete denture intercuspal position, relations between (Van Niekerk et al), 406
ridge(s), human, observations on histologic features of. Part I, Mucosal epithelium (Krajicek et al), 526; Part II: Connective tissue (Krajicek et al), 682; Part III: Bone (Krajicek et al), 836
hydroxyapatite augmentation of (Alling), 828
Elastomeric impression materials, dimensional stability of, in custom-made and stock trays (Valderhaug and Fløystrand), 514
evaluation of time-dependent dimensional stability of eleven (Williams et al), 120
Elderly patients, chemopsychotherapy and its role in prosthodontic failures in (Langer), 14
questioning our perceptions of: Some thoughts for the dentist (Waldman), 739
Electromyographic biofeedback, interocclusal distance determined by, compared with conventional methods (van Mens and de Vries), 443
silent periods during chewing and stage of dental development, relationship between (Josell et al), 593
Electron microscopy evaluation, scanning: Composite and intermediate resin tag formation in acid-etched enamel (Prévost et al), 204
Electronic measuring system, kinematic investigation of mandibular border movement by means of. Part III: Rotational center of lateral movement (Hobo), 66
Elevator muscle, jaw, activity during mastication, silent period in (Stohler and Ash), 729
Enamel, acid-etched, composite and intermediate resin tag formation in: Scanning electron microscopy evaluation (Prévost et al), 204
and composite resin, abrasion of, by removable partial denture clasps (Hebel et al), 389
End-tuft toothbrush for partially edentulous patient (Naylor and Stewart), 311
Endodontically treated posterior teeth, effect of complete veneer crowns on compressive strength of (Gelfand et al), 635
teeth, average maximum post lengths in (Zillich and Corcoran), 489
Endosseous dental implants in dogs, implant-tissue interface of. Validity of clinical evaluation methods (Wie et al), 76
Epithelium, mucosal, Part I: Observations on histologic features of human edentulous ridge (Krajicek et al), 526
Epoxy resins, dimensional accuracy of, and their compatibility with impression materials (Aiach et al), 500
Equilibration, improved occlusal, of complete dentures, by augmenting occlusal anatomy of acrylic resin denture teeth (Ruffino), 300
Erosive lesions, cervical, of teeth, possible role of tensile stress in etiology of (Lee and Eakle), 374
Errors, speech articulation, and increased vertical dimension (Hammond and Beder), 401
Escape channel, internal: Alternative to venting complete cast crowns (Tjan and Sarkissian), 50
Esthetic(s), patient perceptions of dental-facial: Shared concerns in orthodontics and prosthodontics (Albino et al), 9
procedures, survey of patient attitudes toward current (Goldstein and Lancaster), 775
Etched-acid enamel, composite and intermediate resin tag formation in: Scanning electron microscopy evaluation (Prévost et al), 204
cast restorations, recent advances in (Barrack), 619
Etching agent, optimal concentration of phosphoric acid as. Part II: Microleakage studies (Gross et al), 786
Examination requirements, history, and information of American Board of Prosthodontics (American Board of Prosthodontics), 281
Extension-base removable partial denture, enhanced retention for distal, using heat-cured resilient soft liner (Whitsitt et al), 447
-distal prostheses, mandibular, management of loading forces on. Part I: Evaluation of concepts for design (Monteith), 673; Part II: Classification for matching modalities to clinical situations (Monteith), 832
Eyelid, upper, in facial palsy, restoration of movement to, by individual gold implant prosthesis (Sela and Taicher), 88

F

Face shape with tooth form, comparison of (Brodbelt et al), 588
Facial deformities in Down's syndrome, use of polydimethylsiloxane subdermal implants for correcting (Taicher et al), 264
-dental esthetics, patient perceptions of: Shared concerns in orthodontics and prosthodontics (Albino et al), 9
palsy, restoration of movement to upper eyelid in, by individual gold implant prosthesis (Sela and Taicher), 88
prostheses, factors related to acceptance of (Roefs et al), 849
metal-faced casting resin mold for (Sooudi and Green), 554
skin response to cobalt 60 irradiation and consequences for matching color of (van Oort et al), 704
Fatigue-corrosion of bond between nickel-chrome casting alloys and porcelain (DeLong et al), 344
Feather-edged or knife-edged preparation and impression technique (Schweikert), 243
Filler content and thermal expansion of composite resins (Hashinger and Fairhurst), 506
Finish, relation of, to discoloration of composite resins (Hachiya et al), 811
Fistula obturation, conventional palatal, alternative method to (Saunders) (Tips), 762
Fixed prosthodontic(s), clinical evaluation of two base metal alloys and gold alloy for use in: Five-year study (Moffa et al), 491
extensive, quality of, after five years (Glantz et al), 475
laboratory survey, Part III: Prosthodontic laboratory and curriculum survey (Aquilino and Taylor), 879
Flange adaptation discrepancy, palatal base distortion, and induced malocclusion caused by processing acrylic resin maxillary complete dentures (McCartney), 545
Flask, ceramic, technique for duplicating complete denture (Krug), 896
Flexible impression trays for microstomic patient, technique for making (Whitsitt and Battle), 608
Fluid, influence of oral, on composite resin and glass-ionomer cement (Roulet and Wälti), 182
Fluorides, effects of topical, on five low-fusing dental porcelains (Copps et al), 340
Force(s), intermittent torsional, comparison of retentive properties of dowel forms after application of (Tjan and Miller), 238
loading, on mandibular distal-extension prostheses, management of. Part I: Evaluation of concepts for design (Monteith), 673; Part II: Classification for matching modalities to clinical situations (Monteith), 832
retentive, and surface adhesion of cements (Tsuburaya et al), 57
Form(s), tooth, comparison of face shape with (Brodbelt et al), 588
use of adhesive vinyl tooth, as aid in arrangement of artificial teeth (Soni and Goldstein), 604

Formaldehyde-sensitized guinea pigs, enhanced tissue response to denture base polymers in (Kallus), 292
Fracture of ceramic and metalloceramic cylinders (Oram et al), 221
Frameworks, fitting removable partial denture, to master cast prior to try-in appointment (Rambach et al), 308
sectioning and indexing removable partial denture (Render), 309
Free-standing porcelain-fused-to-metal pontics, post-soldering (Cohen and Archacki), 452
Full cast-gold crowns, nonanatomic patterns for (Chiche and Mendez), 760
Function, role of muscle, in mandibular prosthetics (Faber), 167
Functional impressions and thermoplastic materials for reline procedures (Fitzloff), 25

G

Gagging patient, help for: Palateless denture (Farmer and Connelly), 691
Gingiva, human, ultrastructural study of attachment of, to titanium in vivo (Gould et al), 418
Gingival health, effect of retentive arm clasp design on: Feasibility study (Spielberger et al), 397
tissue response to rotary curettage (Kamansky et al), 380
Glass-ionomer cement and composite resin, influence of oral fluid on (Roulet and Wälti), 182
luting cements, development and use of water-hardening (McLean et al), 175
Gold alloy and two base metal alloys for use in fixed prosthodontics, clinical evaluation of: Five-year study (Moffa et al), 491
-cast crowns, full, nonanatomic patterns for (Chiche and Mendez), 760
implant prosthesis, individual, restoration of movement to upper eyelid in facial palsy by (Sela and Taicher), 88
Grafting with attached oral mucosa, preprosthetic improvement of alveolar region by (Griffiths and Harvey), 5
Grooves, use of paint-on die spacers in preparations with (Donovan et al), 384
Guide, customized shade (Ware), 449
Gypsum products, delayed "hygroscopic" expansion of (Santos and Ballester), 366

H

Hand and mechanical trituration, some properties of high-copper amalgam alloys comparing (Iglesias et al), 194
Handpiece delivery system, multiple, for tooth preparation (McGrannahan), 73
Hardness, surface, and compressive strength of type IV die stone when mixed with water substitutes (Schneider and Taylor), 510
of dental stone, effect of irreversible hydrocolloid impressions on (Khan et al), 435
Head position for transcranial temporomandibular joint radiographs (Tucker), 426
posture and rest position of mandible, relationship of (Darling et al), 111
Health, gingival, effect of retentive arm clasp design on: Feasibility study (Spielberger et al), 397
Heat-cured resilient soft liner, enhanced retention for distal extension-base removable partial denture using (Whitsitt et al), 447
generated when threaded pins are cut: Comparison of techniques (Sarrett and Reitz), 46
source, sprue design, and casting machine, effects of, on casting porosity (Compagni et al), 41
treatment of nickel-chromium base alloy, changes in mechanical properties and microstructure following (Winkler et al), 821
High-copper amalgam alloys, some properties of, comparing hand and mechanical trituration (Iglesias et al), 194
three, and one conventional dental amalgams, antibacterial properties of (Glassman and Miller), 199
Hinge axis, location of terminal, and its effect on second molar cusp position (Gordon et al), 99
Histologic features of human edentulous ridge, observations on. Part I: Mucosal epithelium (Krajicek et al), 526; Part II: Connective tissue (Krajicek et al), 682; Part III: Bone (Krajicek et al), 836
History, information, and examination requirements of American Board of Prosthodontics (American Board of Prosthodontics), 281
Hollow obturator with fluid resin, fabrication of (Browning and Kinderknecht), 891
Human gingiva to titanium in vivo, ultrastructural study of attachment of (Gould et al), 418
teeth with threated retentive pins, perforations in: Scanning electron microscopy study (Collins et al), 334
Hydrocolloid impression(s), effect of irreversible, on surface hardness of dental stone (Khan et al), 435
system, comparison of dimensional accuracy of combined reversible/irreversible, with other commonly used impression materials (Herring et al), 795
reversible, duplicating materials and dental stones, compatibility of (Williams and Hartman), 699
silicone impression material, new irreversible (Eames and Litvak), 479
Hydroxyapatite augmentation of edentulous ridges (Alling), 828
Hygiene, denture, methods, sanitization of dentures by several (Moore et al), 158
Hygienist, dental, role of, in prosthodontic practice (Jones and Snyder), 885
"Hygroscopic" expansion, delayed, of gypsum products (Santos and Ballester), 366
Hypodontia, prosthodontic treatment of patients with (Winstanley), 687

I

Implant(s), autologous root, soft tissue reaction to (Klein and Shapiro), 82
endosseous dental, in dogs, implant-tissue interface of. Validity of clinical evaluation methods (Wie et al), 76
mandibular staple, clip attachment for (Hurtado and McGivney), 715
modification, cranial (Martin et al), 414
placement in atrophic mandible: Anatomic study (Denissen et al), 260
prosthesis, individual gold, restoration of movement to upper eyelid in facial palsy by (Sela and Taicher), 88
staple, modifications of superstructure for (Guerra et al), 858
terminology, concept for improved dental: Per, peri, or trans? (McKinney et al), 267
-tissue interface of endosseous dental implants in dogs. Validity of clinical evaluation methods (Wie et al), 76
use of polydimethylsiloxane subdermal, for correcting facial deformities in Down's syndrome (Taicher et al), 264
Implantation, subcutaneous, in guinea pigs, evaluation of toxicity of denture base polymers after (Kallus), 126
Impression(s) and preparation technique, feather-edged or knife-edged (Schweikert), 243
complete denture, clinical evaluation of polyvinylsiloxane for (Applebaum and Mehra), 537
correction of defective, by selective addition of impression material (Bomberg and Hatch), 38
dental, preliminary investigation of method for disinfection of (Merchant et al), 877
effect of irreversible hydrocolloid, on surface hardness of dental stone (Khan et al), 435
functional, and thermoplastic materials for reline procedures (Fitzloff), 25
master, preclinical teaching technique for making (Muncheryan and Wood), 432
material(s), comparison of dimensional accuracy of combined reversible/irreversible hydrocolloid system with other commonly used (Herring et al), 795
correction of defective impressions by selective addition of (Bomberg and Hatch), 38
dimensional accuracy of epoxy resins and their compatibility with (Aiach et al), 500
stability of elastomeric, in custom-made and stock trays (Valderhaug and Fløystrand), 514
eleven elastomeric, evaluation of time-dependent dimensional stability of (Williams et al), 120
new irreversible hydrocolloid silicone (Eames and Litvak), 479

Impression(s)—cont'd
system, comparison of dimensional accuracy of combined reversible/irreversible hydrocolloid, with other commonly used impression materials (Herring et al), 795
tray(s), sectional, for patients with constricted oral opening (Luebke), 135
technique for making flexible, for microstomic patient (Whitsitt and Battle), 608
Incisor, mesiodistal width of maxillary central, and interpupillary distance, relationship between (Cesario and Latta), 641
Inclined, mesially, molars, rationale and practical technique for uprighting (Simon), 256
Indexing and sectioning removable partial denture frameworks (Render), 309
Information, history, and examination requirements of American Board of Prosthodontics (American Board of Prosthodontics), 281
Inlay preparations, relationship of wall orientation to proximal box design in (DuBois et al), 522
Instruments, comparative study of three: Removal of overhanging amalgam (Givens et al), 815
Integrity, marginal, of ceramometal restorations, evaluation of: Part II (Van Rensburg and Strating), 210
Interarch space, restricted, fabrication of accurate baseplates for (Bolouri), 303
Intercuspal position, complete denture, and edentulous rest position, relations between (van Niekerk et al), 406
Interface, implant-tissue, of endosseous dental implants in dogs. Validity of clinical evaluation methods (Wie et al), 76
Intermediate and composite resin tag formation in acid-etched enamel: Scanning electron microscopy evaluation (Prévost et al), 204
restorative material: Clean and simple mixing technique with predictable results (Marchant) (Tips), 764
Internal escape channel: Alternative to venting complete cast crowns (Tjan and Sarkissian), 50
volumetric expansion of casting investments (Marsaw et al), 361
Interocclusal distance determined by electromyographic biofeedback compared with conventional methods (van Mens and de Vries), 443
records, effect of, on transverse axis position (Balthazar et al), 804
stabilized baseplate technique for (Ziebert and Balthazar-Hart), 606
Interpupillary distance and mesiodistal width of maxillary central incisor, relationship between (Cesario and Latta), 641
Intraoral anatomic defects, obturation of congenital or acquired (Coffey), 559
Investments, casting, internal volumetric expansion of (Marsaw et al), 361
Ionomer-glass cement and composite resin, influence of oral fluid on (Roulet and Walti), 182
luting cements, development and use of water-hardening (McLean et al), 175
Irradiated patient, radiation therapy and management of (Toljanic and Saunders), 852
Irradiation, skin response to cobalt 60, and consequences for matching color of facial prostheses (van Oort et al), 704
Irreversible hydrocolloid impressions, effect of, on surface hardness of dental stone (Khan et al), 435
silicone impression material, new (Eames and Litvak), 479
/reversible hydrocolloid impression system, comparison of dimensional accuracy of combined, with other commonly used impression materials (Herring et al), 795

J

Jaw-closing muscle activity and occlusal contacts during tooth clenching, relationship between: Part I (MacDonald and Hannam), 718; Part II: (MacDonald and Hannam), 862
elevator muscle activity during mastication, silent period in (Stohler and Ash), 729
Joint(s), nickel-chromium alloy dental solder, investigation of tensile strength of (Marshall and Goodkind), 666
Joint(s)—cont'd
temporomandibular, consistency of performance of new craniostat for oblique lateral transcranial radiographs of (Preti et al), 270

K

Keloids, earlobe, prosthetic treatment of (Sela and Taicher), 417
Kinematic investigation of mandibular border movement by means of electronic measuring system. Part III: Rotational center of lateral movement (Hobo), 66
Knife-edged or feather-edged preparation and impression technique (Schweikert), 243

L

Laboratory survey, removable prosthodontic, Part I: Prosthodontic survey (Taylor et al), 598
and curriculum survey, prosthodontic. Part III: Fixed prosthodontic laboratory survey (Aquilino and Taylor), 879
fixed prosthodontic, survey, Part III: Prosthodontic laboratory and curriculum survey (Aquilino and Taylor), 879
Lateral mandibular movement, nature of side-shift in, and its implications in clinical practice (Levinson), 91
movement, rotational center of, Part III: Kinematic investigation of mandibular border movement by means of electronic measuring system (Hobo), 66
transcranial radiographs, comparison of multiphasic dysfunction profile with (Rieder and Martinoff), 572
oblique, of temporomandibular joint, consistency of performance of new craniostat for (Preti et al), 270
Layer, dentin smear, effect of, on tensile strength of cemented posts (Goldman et al), 485
Leakage, marginal, of several acid-etch composite resin restorative systems (Amsberry et al), 647
visible light–cured composite resin restorations (Hembree and Taylor), 790
Lesions, cervical erosive, of teeth, possible role of tensile stress in etiology of (Lee and Eakle), 374
Light(s)-cured restorative materials, hardness of, and visible curing lights, comparison study of (Friedman and Hassan), 504
visible curing, and hardness of light-cured restorative materials, comparison study of (Friedman and Hassan), 504
Liner, heat-cured resilient soft, enhanced retention for distal extension-base removable partial denture using (Whitsitt et al), 447
Lingual bladed denture teeth, use of silver alloys to oppose (Levin), 602
Lip commissures, splint for burns to (Cheuk and Kirkland), 563
Loading forces on mandibular distal-extension prostheses, management of. Part I: Evaluation of concepts for design (Monteith), 673; Part II: Classification for matching modalities to clinical situations (Monteith), 832
Localizing pontics, system for (Faucher), 643
Luting cements, clinical study of two, used on student-treated patients: Interim report (Øilo et al), 518
development and use of water-hardening glass-ionomer (McLean et al), 175

M

Machine, casting, sprue design, and heat source, effects of, on casting porosity (Compagni et al), 41
Magnets, samarium-cobalt, sectional prostheses connected by (Sasaki et al), 556
Malocclusion, induced, flange adaptation discrepancy, and palatal base distortion caused by processing acrylic resin maxillary complete dentures (McCartney), 545
Mandible, atrophic, implant placement in: Anatomic study (Denissen et al), 260
rest position of, and head posture, relationship of (Darling et al), 111
Mandibular border movement, kinematic investigation of, by means of electronic measuring system. Part III: Rotational center of lateral movement (Hobo), 66
distal-extension prostheses, management of loading forces on. Part I: Evaluation of concepts for design (Monteith), 673; Part II: Classification for matching modalities to clinical situations (Monteith), 832

Mandibular—cont'd
movement, influence of cervical posture on (Goldstein et al), 421
lateral, nature of side-shift in, and its implications in clinical practice (Levinson), 91
recording and programming procedures for molded condylar control articulator system, evaluation of (Manary and Holland), 275
prosthetics, role of muscle function in (Faber), 167
staple implant, clip attachment for (Hurtado and McGivney), 715
Marginal integrity of ceramometal restorations, evaluation of: Part II (Van Rensburg and Strating), 210
leakage of several acid-etch composite resin restorative systems (Amsberry et al), 647
visible light-cured composite resin restorations (Hembree and Taylor), 790
Masseter muscle activity, masticatory performance, and salivary secretion rates, comparison of, between denture and natural dentition groups, Part II: Studies of biologic parameters for denture design (Kapur and Garrett), 408
Master cast, fitting removable partial denture frameworks to, prior to try-in appointment (Rambach et al), 308
impressions, preclinical teaching technique for making (Muncheryan and Wood), 432
Mastication in repeated registrations, computer-based analysis of single chewing cycle during (Jemt and Olsson), 437
silent period in jaw elevator muscle activity during (Stohler and Ash), 729
Masticatory performance, masseter muscle activity, and salivary secretion rates, comparison of, between denture and natural dentition groups, Part II: Studies of biologic parameters for denture design (Kapur and Garrett), 408
Maxillary central incisor, mesiodistal width of, and interpupillary distance, relationship between (Cesario and Latta), 641
complete dentures, acrylic resin, flange adaptation discrepancy, palatal base distortion, and induced malocclusion caused by processing (McCartney), 545
duplicating (Nassif and Jumbelic), 755
processing changes in (Lechner and Lautenschlager), 20
midline diastema in adults, incidence of (McVay and Latta), 809
overdenture patients, bruxism in (Kirk) (Tips), 764
record base, making, with dental surveyor (Sherman), 750
MDX-4-4210 silicone rubber, quick method for processing (Draper et al), 450
Measuring system, electronic, kinematic investigation of mandibular border movement by means of. Part III: Rotational center of lateral movement (Hobo), 66
Mechanical and hand trituration, some properties of high-copper amalgam alloys comparing (Iglesias et al), 194
properties and microstructure, changes in, following heat treatment of nickel-chromium base alloy (Winkler et al), 821
Mesially inclined molars, rationale and practical technique for uprighting (Simon), 256
Mesiodistal width of maxillary central incisor and interpupillary distance, relationship between (Cesario and Latta), 641
Metal alloys, two base, and gold alloy for use in fixed prosthodontics, clinical evaluation of: Five-year study (Moffa et al), 491
base, casting alloy, preliminary observations on clinical use of (Townsend et al), 370
-faced casting resin mold for facial prostheses (Sooudi and Green), 554
-fused-to-porcelain pontics, post-soldering free-standing (Cohen and Archacki), 452
radiograph stress measurement of (Terada), 349
Metalloceramic and ceramic cylinders, fracture of (Oram et al), 221
Methantheline bromide and clonidine hydrochloride, effects of, on salivary secretion (Wilson et al), 663
Microfilled composite resin restorations with different cavosurface designs, microleakage of (Hembree), 653
Microleakage of microfilled composite resin restorations with different cavosurface designs (Hembree), 653
studies, Part II: Optimal concentration of phosphoric acid as etching agent (Gross et al), 786
Microscopy evaluation, scanning electron: Composite and intermediate resin tag formation in acid-etched enamel (Prévost et al), 204
Microstomic patient, technique for making flexible impression trays for (Whitsitt and Battle), 608
Microstructure and mechanical properties, changes in, following heat treatment of nickel-chromium base alloy (Winkler et al), 821
Midline diastema, maxillary, incidence of, in adults (McVay and Latta), 809
Molar(s) cusp position, second, location of terminal hinge axis and its effect on (Gordon et al), 99
mesially inclined, rationale and practical technique for uprighting (Simon), 256
Mold, metal-faced casting resin, for facial prostheses (Sooudi and Green), 554
Molded condylar control articulator system, evaluation of mandibular movement recording and programming procedures for (Manary and Holland), 275
Molloplast B, alternative to conventional overdenture attachments with: Technique (Shernoff et al), 305
Monoplane (nonanatomic) acrylic resin denture teeth, wear of (Khan et al), 172
Morphology and permeability of dentinal smear layer (Dippel et al), 657
Movement, lateral mandibular border, nature of side-shift in, and its implications in clinical practice (Levinson), 91
rotational center of, Part III: Kinematic investigation of mandibular border movement by means of electronic measuring system (Hobo), 66
mandibular border, kinematic investigation of, by means of electronic measuring system. Part III: Rotational center of lateral movement (Hobo), 66
influence of cervical posture on (Goldstein et al), 421
recording and programming procedures for molded condylar control articulator system, evaluation of (Manary and Holland), 275
restoration of, to upper eyelid in facial palsy by individual gold implant prosthesis (Sela and Taicher), 88
Mucosa, attached oral, preprosthetic improvement of alveolar region by grafting with (Griffiths and Harvey), 5
Mucosal epithelium, Part I: Observations on histologic features of human edentulous ridge (Krajicek et al), 526
Multiphasic dysfunction profile, comparison of, with lateral transcranial radiographs (Rieder and Martinoff), 572
Multirooted teeth, temporary reversible post and core restoration for (Matheney), 338
Muscle activity, jaw-closing, and occlusal contacts during tooth clenching, relationship between: Part I (MacDonald and Hannam), 718; Part II (MacDonald and Hannam), 862
masseter, masticatory performance, and salivary secretion rates, comparison of, between denture and natural dentition groups, Part II: Studies of biologic parameters for denture design (Kapur and Garrett), 408
function, role of, in mandibular prosthetics (Faber), 167
Muscle, jaw elevator, activity during mastication, silent period in (Stohler and Ash), 729

N

Natural dentition and denture groups, comparison of masseter muscle activity, masticatory performance, and salivary secretion rates between, Part II: Studies of biologic parameters for denture design (Kapur and Garrett), 408
Nickel allergy, study of (Blanco-Dalmau et al), 116
-chrome casting alloys and porcelain, corrosion-fatigue of bond between (DeLong et al), 344
-chromium alloy dental solder joints, investigation of tensile strength of (Marshall and Goodkind), 666
base alloy, changes in mechanical properties and microstructure following heat treatment of (Winkler et al), 821
Nonanatomic (monoplane) acrylic resin denture teeth, wear of (Khan et al), 172
patterns for full cast-gold crowns (Chiche and Mendez), 760
Noncontact and contact areas, occlusal, method to determine: Preliminary report (Millstein), 106
Nonparallel canals, cast post and core for (Mora and Firtell), 235
Nonvented and vented self-threading retentive pins, comparative stress effects of (Savoca and Schmidt), 190

O

Oblique lateral transcranial radiographs of temporomandibular joint, consistency of performance of new craniostat for (Preti et al), 270
Obturation, conventional palatal fistula, alternative method to (Saunders) (Tips), 762
of congenital or acquired intraoral anatomic defects (Coffey), 559
Obturator, hollow, with fluid resin, fabrication of (Browning and Kinderknecht), 891
prosthesis, interim, with duplicated teeth and palate (Kouyoumdjian and Chalian), 560
soft surgical vinyl resin (Taicher et al) (Tips), 140
Occlusal anatomy of acrylic resin denture teeth, improved occlusal equilibration of complete dentures by augmenting (Ruffino), 300
contact(s) and jaw-closing muscle activity during tooth clenching, relationship between: Part I (MacDonald and Hannam), 718; Part II (MacDonald and Hannam), 862
and noncontact areas, method to determine: Preliminary report (Millstein), 106
equilibration, improved, of complete dentures, by augmenting occlusal anatomy of acrylic resin denture teeth (Ruffino), 300
Occlusions, provisional restorations for altered (Fox et al), 567
Opening, constricted oral, sectional impression tray for patients with (Luebke), 135
Oral burn patients, prostheses for (Gay), 564
cancer and denture wearing (Gorsky and Silverman), 164
fluid, influence of, on composite resin and glass-ionomer cement (Roulet and Wälti), 182
mucosa, attached, preprosthetic improvement of alveolar region by grafting with (Griffiths and Harvey), 5
opening, constricted, sectional impression tray for patients with (Luebke), 135
Orientation, wall, relationship of, to proximal box design in inlay preparations (DuBois et al), 522
Orthodontics and prosthodontics, shared concerns in: Patient perceptions of dental-facial esthetics (Albino et al), 9
Osteoporosis in postmenopausal women (Renner et al), 581
Overdenture attachments, alternative to conventional, with Molloplast B: Technique (Shernoff et al), 305
maxillary, patients, bruxism in (Kirk) (Tips), 764
patients in longitudinal study, treatment needs of: Five-year results (Ettinger et al), 532
Overhanging amalgam, removal of: Comparative study of three instruments (Givens et al), 815

P

Paint-on die spacers in preparations with grooves, use of (Donovan et al), 384
Palatal base distortion, flange adaptation discrepancy, and induced malocclusion caused by processing acrylic resin maxillary complete dentures (McCartney), 545
fistula obturation, conventional, alternative method to (Saunders) (Tips), 762
reservoir in denture patients with xerostomia, use of (Toljanic and Zucuskie), 540
Palate and teeth, interim obturator prosthesis with duplicated (Kouyoumdjian and Chalian), 560
Palateless dentures: Help for gagging patient (Farmer and Connelly), 691
Palsy, facial, restoration of movement to upper eyelid in, by individual gold implant prosthesis (Sela and Taicher), 88
Pantograph, stabilizing, from patient to articulator (Schneider), 310
Parameters, studies of biologic, for denture design. Part II: Comparison of masseter muscle activity, masticatory performance, and salivary secretion rates between denture and natural dentition groups (Kapur and Garrett), 408
Partial denture(s) clasps, removable, abrasion of enamel and composite resin by (Hebel et al), 389
enhanced retention for distal extension-base removable, with heat-cured resilient soft liner (Whitsitt et al), 447
frameworks, fitting, to master cast prior to try-in appointment (Rambach et al), 308
sectioning and indexing removable (Render), 309
Partial denture(s)—cont'd
removable, abrasion resistant cases for (Fox et al) (Tips), 763
Partially edentulous patient, end-tuft toothbrush for (Naylor and Stewart), 311
Patient(s) and prosthodontist, compared perceptions of: Quality of care (Chamberlain et al), 744
attitudes toward current esthetic procedures, survey of (Goldstein and Lancaster), 775
denture, with xerostomia, use of palatal reservoir in (Toljanic and Zucuskie), 540
elderly, chemopsychotherapy and its role in prosthodontic failures in (Langer), 14
help for gagging: Palateless denture (Farmer and Connelly), 691
irradiated, radiation therapy and management of (Toljanic and Saunders), 852
maxillary overdenture, bruxism in (Kirk) (Tips), 764
microstomic, technique for making flexible impression trays for (Whitsitt and Battle), 608
oral burn, prostheses for (Gay), 564
overdenture, in longitudinal study, treatment needs of: Five-year results (Ettinger et al), 532
partially edentulous, end-tuft toothbrush for (Naylor and Stewart), 311
perceptions of dental-facial esthetics: Shared concerns in orthodontics and prosthodontics (Albino et al), 9
rehabilitation, time-saving method to assist in: Ear-banking (Rogerson and Saunders) (Tips), 900
stabilizing pantograph from, to articulator (Schneider), 310
student-treated, clinical study of two luting cements used on: Interim report (Øilo et al), 518
with constricted oral opening, sectional impression tray for (Luebke), 135
hypodontia, prosthodontic treatment of (Winstanley), 687
Patterns, multiple direct, for cast post and core in anterior teeth (Halhoul and El-Baghdady), 36
nonanatomic, for full cast-gold crowns (Chiche and Mendez), 760
Perforations in human teeth with threaded retentive pins: Scanning electron microscopy study (Collins et al), 334
Periodontics, changing concepts in (Ramfjord), 781
Permeability and morphology of dentinal smear layer (Dippel et al), 657
Phosphoric acid, optimal concentration of, as etching agent. Part II: Microleakage studies (Gross et al), 786
resistance of calcium hydroxide preparations to solubility in (Phillips et al), 358
Pin(s) Desmarets attachment, indications and use of (Davidoff), 250
comparative stress effects of vented and nonvented self-threading retentive (Savoca and Schmidt), 190
threaded, are cut, heat generated when: Comparison of techniques (Sarrett and Reitz), 46
retentive, perforations in human teeth with: Scanning electron microscopy study (Collins et al), 334
Placement, implant, in atrophic mandible: Anatomic study (Denissen et al), 260
Polymers, denture base, enhanced tissue response to, in formaldehyde-sensitized guinea pigs (Kallus), 292
evaluation of toxicity of, after subcutaneous implantation in guinea pigs (Kallus), 126
Polydimethylsiloxane subdermal implants for correcting facial deformities in Down's syndrome, use of (Taicher et al), 264
Polyvinylsiloxane for complete denture impressions, clinical evaluation of (Appelbaum and Mehra), 537
Pontic(s), post-soldering free-standing porcelain-fused-to-metal (Cohen and Archacki), 452
post soldering telescopic (Maroso et al), 208
system for localizing (Faucher), 643
Porcelain(s) and nickel-chrome casting alloys, corrosion-fatigue of bond between (DeLong et al), 344
five low-fusing dental, effects of topical fluorides on (Copps et al), 340
fused-to-metal pontics, post-soldering free-standing (Cohen and Archacki), 452
radiograph stress measurement of (Terada), 349
Porosity, casting, effects of sprue design, casting machine, and heat source on (Compagni et al), 41

Position, complete denture intercuspal, and edentulous rest position, relations between (van Niekerk et al), 406
edentulous rest, and complete denture intercuspal position, relations between (van Niekerk et al), 406
head, for transcranial temporomandibular radiographs (Tucker), 426
rest, of mandible and head posture, relationship of (Darling et al), 111
second molar cusp, location of terminal hinge axis and its effect on (Gordon et al), 99
transverse axis, effect of interocclusal records on (Balthazar et al), 804
Post(s) and core, cast, for nonparallel canals (Mora and Firtell), 235
in anterior teeth, multiple direct patterns for (Halhoul and El-Baghdady), 36
concepts, effective use of current (Sokol), 231
restoration, temporary reversible, for multirooted teeth (Matheney), 338
system, new prefabricated (Musikant and Deutsch), 631
cemented, effect of dentin smear layer on tensile strength of (Goldman et al), 485
fabricating cast, to salvage acceptable crown (Jones) (Tips), 902
lengths, average maximum, in endodontically treated teeth (Zillich and Corcoran), 489
-soldering free-standing porcelain-fused-to-metal pontics (Cohen and Archacki), 452
telescopic pontic (Maroso et al), 208
Posterior teeth, endodontically treated, effect of complete veneer crowns on compressive strength of (Gelfand et al), 635
Postmenopausal women, osteoporosis in (Renner et al), 581
Posture, cervical, influence of, on mandibular movement (Goldstein et al), 421
head, and rest position of mandible, relationship of (Darling et al), 111
Preclinical teaching technique for making master impressions (Muncheryan and Wood), 432
Preparation(s) and impression technique, feather-edged or knife-edged (Schweikert), 243
calcium hydroxide, resistance of, to solubility in phosphoric acid (Phillips et al), 358
complete cast crown, method for determining adequate resistance form of (Weed and Baez), 330
inlay, relationship of wall orientation to proximal box design in (DuBois et al), 522
tooth, multiple handpiece delivery system for (McGrannanhan), 73
with grooves, use of paint-on die spacers in (Donovan et al), 384
Preprosthetic improvement of alveolar region by grafting with attached oral mucosa (Griffiths and Harvey), 5
Processing changes in maxillary complete dentures (Lechner and Lautenschlager), 20
MDX-4-4210 silicone rubber, quick method for (Draper et al), 450
Profile, multiphasic dysfunction, comparison of, with lateral transcranial radiographs (Rieder and Martinoff), 572
Programming and recording procedures, mandibular movement, for molded condylar control articulator system, evaluation of (Manary and Holland), 275
Prosthesis(es), facial, factors related to acceptance of (Roefs et al), 849
metal-faced casting resin mold for (Sooudi and Green), 554
skin response to cobalt 60 irradiation and consequences for matching color of (van Oort et al), 704
for oral burn patients (Gay), 564
individual gold implant, restoration of movement to upper eyelid in facial palsy by (Sela and Taicher), 88
interim obturator, with duplicated teeth and palate (Kouyoumdjian and Chalian), 560
mandibular distal-extension, management of loading forces on. Part I: Evaluation of concepts for design (Monteith), 673; Part II: Classification for matching modalities to clinical situations (Monteith), 832
sectional, connected by samarium-cobalt magnets (Sasaki et al), 556
Prosthesis(es)—cont'd
wire reinforcement of acrylic resin (Carroll and von Fraunhofer), 639
Prosthetic(s) ear, silicone, technique for using acrylic resin insert to simulate cartilaginous structure in (Disantis), 889
mandibular, role of muscle function in (Faber), 167
treatment of earlobe keloids (Sela and Taicher), 417
Prosthodontic(s), American Board of (Lang), 903
history, information, and examination requirements of (American Board of Prosthodontics), 281
and orthodontics, shared concerns in: Patient perceptions of dental-facial esthetics (Albino et al), 9
extensive fixed, quality of, after five years (Glantz et al), 475
failures in elderly patients, chemopsychotherapy and its role in (Langer), 14
fixed, clinical evaluation of two base metal alloys and gold alloy for use in: Five-year study (Moffa et al), 491
laboratory survey, Part III: Prosthodontic laboratory and curriculum survey (Aquilino and Taylor), 879
laboratory and curriculum survey. Part III: Fixed prosthodontic laboratory survey (Aquilino and Taylor), 879
practice, role of dental hygienist in (Jones and Snyder), 885
psychosomatic component in (Newton), 871
removable, curriculum survey, Part II: Prosthodontic survey (Taylor et al), 747
laboratory survey, Part I: Prosthodontic survey (Taylor et al), 598
survey. Part I: Removable prosthodontic laboratory survey (Taylor et al), 598; Part II: Removable prosthodontic curriculum survey (Taylor et al), 747
treatment of patients with hypodontia (Winstanley), 687
Prosthodontist and patient, compared perceptions of: Quality of care (Chamberlain et al), 744
Proximal box design in inlay preparations, relationship of wall orientation to (DuBois et al), 522
Psychosomatic component in prosthodontics (Newton), 871

Q

Quality of care: Compared perceptions of patients and prosthodontist (Chamberlain et al), 744

R

Radiation therapy and management of irradiated patient (Toljanic and Saunders), 852
Radiograph(s), comparison of multiphasic dysfunction profile with lateral transcranial (Rieder and Martinoff), 572
oblique lateral transcranial, of temporomandibular joint, consistency of performance of new craniostat for (Preti et al), 270
stress measurement of porcelain fused to metal (Terada), 349
transcranial temporomandibular joint, head position for (Tucker), 426
Radiopaque transitional restorations (Mullick), 793
Reaction, soft tissue, to autologous root implant (Klein and Shapiro), 82
Record(s) base, making maxillary, with dental surveyor (Sherman), 750
effect of interocclusal, on transverse axis position (Balthazar et al), 804
interocclusal, stabilized baseplate technique for (Ziebert and Balthazar-Hart), 606
Recording and programming procedures, mandibular movement, for molded condylar control articulator system, evaluation of (Manary and Holland), 275
Refractory die-investing technique, accuracy of cast restorations produced by (Finger and Ohsawa), 800
Rehabilitation, patient, time-saving method to assist in: Ear-banking (Rogerson and Saunders) (Tips), 900
Reinforcement, wire, of acrylic resin prostheses (Carroll and von Fraunhofer), 639
Reline procedures, functional impressions and thermoplastic materials for (Fitzloff), 25

Removable partial denture(s), abrasion resistant cases for (Fox et al) (Tips), 763
clasps, abrasion of enamel and composite resin by (Hebel et al), 389
enhanced retention for distal extension-base, with heat-cured resilient soft liner (Whitsitt et al), 447
frameworks, fitting, to master cast prior to try-in appointment (Rambach et al), 308
sectioning and indexing (Render), 309
prosthodontic curriculum survey, Part II: Prosthodontic survey (Taylor et al), 747
laboratory survey, Part I: Prosthodontic survey (Taylor et al), 598
Repairs, denture, strength of, as influenced by surface treatment (Shen et al), 844
Reservoirs, artificial saliva (Vissink et al), 710
palatal, in denture patients with xerostomia, use of (Toljanic and Zucuskie), 540
Resin(s), acrylic, denture teeth, improved occlusal equilibration of complete dentures by augmenting occlusal anatomy of (Ruffino), 300
maxillary complete dentures, flange adaptation discrepancy, palatal base distortion, and induced malocclusion caused by processing (McCartney), 545
prostheses, wire reinforcement of (Carroll and von Fraunhofer), 639
-bonded restoration, alternative (LaBarre and Ward), 247
composite, and enamel, abrasion of, by removable partial denture clasps (Hebel et al), 389
glass-ionomer cement, influence of oral fluid on (Roulet and Wälti), 182
relation of finish to discoloration of (Hachiya et al), 811
thermal expansion and filler content of (Hashinger and Fairhurst), 506
denture base, in vitro, long-term biocompatibility test of (Nakamura and Kawahara), 694
teeth, wear of nonanatomic (monoplane) acrylic (Khan et al), 172
epoxy, dimensional accuracy of, and their compatibility with impression materials (Aiach et al), 500
fluid, fabrication of hollow obturator with (Browning and Kinderknecht), 891
incompletely cured composite, color dye for identification of (de Gee et al), 626
insert, acrylic, to simulate cartilaginous structure in silicone prosthetic ear, technique for using (Disantis), 889
mold, metal-faced casting, for facial prostheses (Sooudi and Green), 554
obturator, soft surgical vinyl (Taicher et al) (Tips), 140
restorations, marginal leakage of visible light-cured composite (Hembree and Taylor), 790
microfilled composite, with different cavosurface designs, microleakage of (Hembree), 653
restorative systems, marginal leakage of several acid-etch composite (Amsberry et al), 647
tag formation, composite and intermediate, in acid-etched enamel: Scanning electron microscopy evaluation (Prévost et al), 204
veneers, surface resistance to abrasion of preformed laminate (Cannon et al), 323
Response, enhanced tissue, to denture base polymers in formaldehyde-sensitized guinea pigs (Kallus), 292
skin, to cobalt 60 irradiation and consequences for matching color of facial prostheses (van Oort et al), 704
Rest position, edentulous, and complete denture intercuspal position, relations between (van Niekerk et al), 406
of mandible and head posture, relationship of (Darling et al), 111
Restoration(s), alternative resin-bonded (LaBarre and Ward), 247
cast, produced by refractory die-investing technique, accuracy of (Finger and Ohsawa), 800
ceramometal, evaluation of marginal integrity of: Part II (Van Rensburg and Strating), 210
Restoration(s)—cont'd
marginal leakage of visible light-cured composite resin (Hembree and Taylor), 790
microfilled composite resin, with different cavosurface designs, microleakage of (Hembree), 653
of extremely worn dentition (Turner and Missirlian), 467
movement to upper eyelid in facial palsy by individual gold implant prosthesis (Sela and Taicher), 88
provisional, for altered occlusions (Fox et al), 567
radiopaque transitional (Mullick), 793
recent advances in etched cast (Barrack), 619
temporary reversible post and core, for multirooted teeth (Mathensey), 338
Restorative material(s), hardness of light-cured, and visible curing lights, comparison study of (Friedman and Hassan), 504
intermediate: Clean and simple mixing technique with predictable results (Marchant) (Tips), 764
systems, marginal leakage of several acid-etch composite resin (Amsberry et al), 647
Restricted interarch space, fabrication of accurate baseplates for (Bolouri), 303
Retention, enhanced, for distal extension-base removable partial denture using heat-cured resilient soft liner (Whitsitt et al), 447
Retentive arm clasp design, effect of, on gingival health: Feasibility study (Spielberger et al), 397
force and surface adhesion of cements (Tsuburaya et al), 57
pins, comparative stress effects of vented and nonvented self-threading (Savoca and Schmidt), 190
threaded, perforations in human teeth with: Scanning electron microscopy study (Collins et al), 334
properties of dowel forms, comparison of, after application of intermittent torsional forces (Tjan and Miller), 238
Reversible hydrocolloid duplicating materials and dental stones, compatibility of (Williams and Hartman), 699
/irreversible hydrocolloid impression system, comparison of dimensional accuracy of combined, with other commonly used impression materials (Herring et al), 795
temporary, post and core restoration for multirooted teeth (Mathensey), 338
Ridge(s), edentulous, hydroxyapatite augmentation of (Alling), 828
human edentulous, observations on histologic features of. Part I: Mucosal epithelium (Krajicek et al), 526; Part II: Connective tissue (Krajicek et al) 682; Part III: Bone (Krajicek et al), 836
Root implant, autologous, soft tissue reaction to (Klein and Shapiro), 82
Rotational center of lateral movement, Part III: Kinematic investigation of mandibular border movement by means of electronic measuring system (Hobo), 66
Rotary curettage, gingival tissue response to (Kamansky et al), 380
Rubber, MDX-4-4210 silicone, quick method for processing (Draper et al), 450

S

Saliva reservoirs, artificial (Vissink et al), 710
Salivary secretion, effects of methantheline bromide and clonidine hydrochloride on (Wilson et al), 663
rates, masseter muscle activity, and masticatory performance, comparison of, between denture and natural dentition groups, Part II: Studies of biologic parameters for denture design (Kapur and Garrett), 408
Samarium-cobalt magnets, sectional prostheses connected by (Sasaki et al), 556
Sanitization of dentures by several denture hygiene methods (Moore et al), 158
Scanning electron microscopy evaluation: Composite and intermediate resin tag formation in acid-etched enamel (Prévost et al), 204
study: Perforations in human teeth with threaded retentive pins (Collins et al), 334

Second molar cusp position, location of terminal hinge axis and its effect on (Gordon et al), 99
Secretion, salivary, effects of methantheline bromide and clonidine hydrochloride on (Wilson et al), 663
Sectional impression tray for patients with constricted oral opening (Luebke), 135
prostheses connected by samarium-cobalt magnets (Sasaki et al), 556
Sectioning and indexing removable partial denture frameworks (Render), 309
Self-threading retentive pins, comparative stress effects of vented and nonvented (Savoca and Schmidt), 190
Sensitized-formaldehyde guinea pigs, enhanced tissue response to denture base polymers in (Kallus), 292
Shade guide, customized (Ware), 449
for denture construction (Millstein) (Tips), 901
Shape, face, comparison of, with tooth form (Brodbelt et al), 588
Side-shift in lateral mandibular movement, nature of, and its implications in clinical practice (Levinson), 91
Silent period(s), electromyographic, during chewing, and stage of dental development, relationship between (Josell et al), 593
in jaw elevator activity during mastication (Stohler and Ash), 729
Silicone impression material, new irreversible hydrocolloid (Eames and Litvak), 479
prosthetic ear, technique for using acrylic resin insert to simulate cartilaginous structure in (Disantis), 889
rubber, MDX-4-4210, quick method for processing (Draper et al), 450
Silver alloys to oppose lingual bladed denture teeth, use of (Levin), 602
Skin response to cobalt 60 irradiation and consequences for matching color of facial prostheses (van Oort et al), 704
Smear layer, dentin, effect of, on tensile strength of cemented posts (Goldman et al), 485
dentinal, morphology and permeability of (Dippel et al), 657
Soft tissue reaction to autologous root implant (Klein and Shapiro), 82
Solder joints, nickel-chromium alloy dental, investigation of tensile strength of (Marshall and Goodkind), 666
Soldering-post free-standing porcelain-fused-to-metal pontics (Cohen and Archacki), 452
telescopic pontic (Maroso et al), 208
Solubility in phosphoric acid, resistance of calcium hydroxide preparations to (Phillips et al), 358
Spacers, use of paint-on die, in preparations with grooves (Donovan et al), 348
Speech articulation errors and increased vertical dimension (Hammond and Beder), 401
Splint for burns to lip commissures (Cheuk and Kirkland), 563
Sprue design, casting machine, and heat source, effects of, on casting porosity (Compagni et al), 41
Stabilized accurately fitting trial bases (McElroy and Canada), 753
Stabilizing pantograph from patient to articulator (Schneider), 310
Stability, dimensional, of elastomeric impression materials in custom-made and stock trays (Valderhaug and Fløystrand), 514
time-dependent dimensional, of eleven elastometric impression materials, evaluation of (Williams et al), 120
Staple implant, mandibular, clip attachment for (Hurtado and McGivney), 715
modifications of superstructure for (Guerra et al), 858
Stock and custom-made trays, dimensional stability of elastomeric impression materials in (Valderhaug and Fløystrand), 514
Stone(s), dental, and reversible hydrocolloid duplicating materials, compatibility of (Williams and Hartman), 699
effect of irreversible hydrocolloid impressions on surface hardness of (Khan et al), 435
type IV die, compressive strength and surface hardness of, when mixed with water substitutes (Schneider and Taylor), 510
Strength(s), bonding, of cemented crowns, effect of disclosing wax on (Brukl et al), 61
Strength(s)—cont'd
compressive, and surface hardness of type IV die stone when mixed with water substitutes (Schneider and Taylor), 510
of conventional, twin foil, and all-ceramic crowns (Philp and Brukl), 215
endodontically treated posterior teeth, effect of complete veneer crowns on (Gelfand et al), 635
tensile, of cemented posts, effect of dentin smear layer on (Goldman et al), 485
nickel-chromium alloy dental solder joints, investigation of (Marshall and Goodkind), 666
Stress effects, comparative, of vented and nonvented self-threading retentive pins (Savoca and Schmidt), 190
measurement, radiograph, of porcelain fused to metal (Terada), 349
tensile, possible role of, in etiology of cervical erosive lesions of teeth (Lee and Eakle), 374
Structure, cartilaginous, in silicone prosthetic ear, technique for using acrylic resin insert to simulate (Disantis), 889
Subcutaneous implantation in guinea pigs, evaluation of toxicity of denture base polymers after (Kallus), 126
Subdermal implants, use of polydimethylsiloxane, for correcting facial deformities in Down's syndrome (Taicher et al), 264
Superstructure for staple implant, modifications of (Guerra et al), 858
Surface adhesion and retentive force of cements (Tsuburaya et al), 57
hardness and compressive strength of type IV die stone when mixed with water substitutes (Schneider and Taylor), 510
of dental stone, effect of irreversible hydrocolloid impressions on (Khan et al), 435
treatment, strength of denture repairs as influenced by (Shen et al), 844
Surgical vinyl resin obturator, soft (Taicher et al) (Tips), 140
Surveyor, dental, making maxillary record base with (Sherman), 750
Syndrome, Down's, use of polydimethylsiloxane subdermal implants for correcting facial deformities in (Taicher et al), 264
System, electronic measuring, kinematic investigation of mandibular border movement by means of. Part III: Rotational center of lateral movement (Hobo), 66
multiple handpiece delivery, for tooth preparation (McGrannahan), 73

T

Tag formation, composite and intermediate resin, in acid-etched enamel: Scanning electron microscopy evaluation (Prévost et al), 204
Teaching technique for making master impressions, preclinical (Muncheryan and Wood), 432
Telescopic pontic, post soldering (Maroso et al), 208
Temporary reversible post and core restoration for multirooted teeth (Matheney), 338
Temporomandibular joint, consistency of performance of new craniostat for oblique lateral transcranial radiographs of (Preti et al), 270
radiographs, transcranial head position for (Tucker), 426
Tensile strength of cemented posts, effect of dentin smear layer on (Goldman et al), 485
nickel-chromium alloy dental solder joints, investigation of (Marshall and Goodkind), 666
stress, possible role of, in etiology of cervical erosive lesions of teeth (Lee and Eakle), 374
Terminal hinge axis, location of, and its effect on second molar cusp position (Gordon et al), 99
Terminology, concept for improved dental implant: Per, peri, or trans? (McKinney et al), 267
Therapy, radiation, and management of irradiated patient (Toljanic and Saunders), 852
Thermal expansion and filler content of composite resins (Hashinger and Fairhurst), 506
Thermoplastic materials and functional impressions for reline procedures (Fitzloff), 25

Threaded pins are cut, heat generated when: Comparison of techniques (Sarrett and Reitz), 46
Time-dependent dimensional stability of eleven elastomeric impression materials, evaluation of (Williams et al), 120
Tissue, connective, Part II: Observations on histologic features of human edentulous ridge (Krajicek et al), 682
-implant interface of endosseous dental implants in dogs. Validity of clinical evaluation methods (Wie et al), 76
response, enhanced, to denture base polymers in formaldehyde-sensitized guinea pigs (Kallus), 292
gingival, to rotary curettage (Kamansky et al), 380
soft, reaction to autologous root implant (Klein and Shapiro), 82
Titanium, ultrastructural study of attachment of human gingiva to, in vivo (Gould et al), 418
Tooth (teeth), acrylic resin denture, improved occlusal equilibration of complete dentures by augmenting occlusal anatomy of (Ruffino), 300
and palate, interim obturator prosthesis with duplicated (Kouyoumdjian and Chalian), 560
anterior, multiple direct patterns for cast post and core in (Halhoul and El-Baghdady), 36
clenching, relationship between occlusal contacts and jaw-closing muscle activity during: Part I (MacDonald and Hannam), 718; Part II (MacDonald and Hannam), 862
duplication of complete dentures (Jordan and Taylor), 453
endondontically treated, average maximum post lengths in (Zillich and Corcoran), 489
posterior, effect of complete veneer crowns on compressive strength of (Gelfand et al), 635
form(s), comparison of face shape with (Brodbelt et al), 588
use of adhesive vinyl, as aid in arrangement of artificial teeth (Soni and Goldstein), 604
human, with threaded retentive pins, perforations in: Scanning electron microscopy study (Collins et al), 334
lingual bladed denture, use of silver alloys to oppose (Levin), 602
multirooted, temporary reversible post and core restoration for (Matheney), 338
possible role of tensile stress in etiology of cervical erosive lesions of (Lee and Eakle), 374
preparation, multiple handpiece delivery system for (McGrannahan), 73
use of adhesive vinyl tooth forms as aid in arrangement of artificial (Soni and Goldstein), 604
wear of nonanatomic (monoplane) acrylic resin denture (Khan et al), 172
Toothbrush, end-tuft, for partially edentulous patient (Naylor and Stewart), 311
Topical fluorides, effects of, on five low-fusing dental porcelains (Copps et al), 340
Torsional forces, intermittent, comparison of retentive properties of dowel forms after application of (Tjan and Miller), 238
Toxicity of denture base polymers after subcutaneous implantation in guinea pigs, evaluation of (Kallus), 126
Transcranial radiographs, comparison of multiphasic dysfunction profile with lateral (Rieder and Martinoff), 572
oblique lateral, of temporomandibular joint, consistency of performance of new craniostat for (Preti et al), 270
temporomandibular joint radiographs, head position for (Tucker), 426
Transverse axis position, effect of interocclusal records on (Balthazar et al), 804
Tray(s), custom-made and stock, dimensional stability of elastomeric impression materials in (Valderhaug and Fløystrand), 514
Tray(s)—cont'd
sectional impression, for patients with constricted oral opening (Luebke), 135
technique for making flexible impression, for microstomic patient (Whitsitt and Battle), 608
Treatment, heat, of nickel-chromium base alloy, changes in mechanical properties and microstructure following (Winkler et al), 821
surface, strength of denture repairs as influenced by (Shen et al), 844
Trial bases, stabilized accurately fitting (McElroy and Canada), 753
Trimming dies, alternative to (Segal et al), 138
Trituration, hand and mechanical, some properties of high-copper amalgam alloys comparing (Iglesias et al), 194
Twin foil, conventional, and all-ceramic crowns, compressive strengths of (Philp and Brukl), 215
Type IV die stone, compressive strength and surface hardness of, when mixed with water substitutes (Schneider and Taylor), 510

U

Uprighting mesially inclined molars, rationale and practical technique for (Simon), 256

V

Veneer(s) crowns, effect of complete, on compressive strength of endodontically treated posterior teeth (Gelfand et al), 635
surface resistance to abrasion of preformed laminate (Cannon et al), 323
Vented and nonvented self-threading retentive pins, comparative stress effects of (Savoca and Schmidt), 190
Venting complete cast crowns, alternative to: Internal escape channel (Tjan and Sarkissian), 50
Vertical dimension, functional adaptation to changes in (Hellsing), 867
increased, and speech articulation errors (Hammond and Beder), 401
Vinyl resin obturator, soft surgical (Taicher et al) (Tips), 140
tooth forms, use of adhesive, as aid in arrangement of artificial teeth (Soni and Goldstein), 604
Visible curing lights and hardness of light-cured restorative materials, comparison study of (Friedman and Hassan), 504
light-cured composite resin restorations, marginal leakage of (Hembree and Taylor), 790
Volumetric expansion, internal, of casting investments (Marsaw et al), 361

W

Wall(s), dentinal cavity, effect of citric acid pretreatment on (McInnes-Ledoux et al), 353
orientation, relationship of, to proximal box design in inlay preparations (DuBois et al), 522
Water-hardening glass-ionomer luting cements, development and use of (McLean et al), 175
Wax, disclosing, on bonding strength of cemented crowns, effect of (Brukl et al), 61
Wettability of selected denture base materials (Kilani et al), 288
Wire reinforcement of acrylic resin prostheses (Carroll and von Fraunhofer), 639

X

Xerostomia, use of palatal reservoir in denture patients with (Toljanic and Zucuskie), 540